

Colorado



# Lighting Efficiency

## Lighting Retrofit Rebate Application

Opportunity ID: \_\_\_\_\_

### Business customer information

Company name \_\_\_\_\_ Date submitted \_\_\_\_\_

Installation address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Mailing address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

(For rebate if different from installation address)

Contact name (print) \_\_\_\_\_ Phone \_\_\_\_\_ Email \_\_\_\_\_

Check this box if you do not want to receive emails from Xcel Energy regarding our programs and services.

Xcel Energy electric premises number \_\_\_\_\_

I verify the information on this application is correct and request consideration for participation in this program.

Customer signature \_\_\_\_\_ Date \_\_\_\_\_

**Customer hereby certifies that: 1. the customer, and not Xcel Energy is solely responsible for the accuracy of the information contained in this application; 2. all installation is complete and operational prior to submitting rebate; and 3. all rules of this Xcel Energy program have been followed. Further, the customer acknowledges that participation in this rebate program shall impose no liability on Xcel Energy. In particular, Xcel Energy shall not be liable for the work performed by the customer's engineer, contractor or vendor.**

Xcel Energy account manager signature \_\_\_\_\_ Date \_\_\_\_\_

### Alternate rebate recipient

**Complete this section only if the customer wants the rebate check to go to someone other than the company tied to the account number.**

Company name \_\_\_\_\_

Contact name \_\_\_\_\_ Phone \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

I authorize the above company to receive the rebate check for this project.

Customer signature \_\_\_\_\_ Date \_\_\_\_\_

### Contractor information

Contractor company name \_\_\_\_\_ Contractor contact name \_\_\_\_\_

Contractor address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

Check this box if you want to receive emails from Xcel Energy regarding our programs and services.

### Facility characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? Air conditioned Heat only No air conditioning or heat

Please indicate the primary use for this location:

Assisted living	College/university	Elementary school	Grocery/convenience
Healthcare office/out-patient	Hospital	Hotel/motel common areas	Hotel/motel guest rooms
Manufacturing	Nighttime exterior	Office – low rise (1-2 stories)	Office – mid rise (3-11 stories)
Office – high rise (12+ stories)	Parking garage	Religious building	Restaurant
Retail – department store	Retail - strip mall	Secondary school	Warehouse

Other/misc. \_\_\_\_\_

Does the lighting in this facility operate 24 hours a day? Yes No

Do 50% or more of your facility's existing lights still work? Yes No

## LED rebate worksheet

## Interior installations

Prescriptive rebates are available for the interior and specified exterior equipment listed below. Rebates are based on total fixture wattage. If the fixture is within + or – 10% of the rebate wattage category, the fixture can qualify for a prescriptive rebate. If not, then it could be eligible for a custom rebate. If the project does not fit one of the descriptions below, it may still qualify for rebates. **Xcel Energy offers a tiered rebate level for products that are either DesignLights Consortium (DLC) Qualified Product Lists (QPL) or ENERGY STAR®-qualified and products that are comparable but not DLC or ENERGY STAR listed. Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified.** Refer to the [LED Rebate Guide](#) to see which DLC eligible products are within each category. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for custom lighting project review prior to beginning the project.

New Equipment	Existing Equipment Specifications	Non-ENERGY STAR* rebate/unit	ENERGY STAR rebate/unit	Qty. =	Rebate
<b>LED downlight fixtures</b>					
Rebates are based on new full fixture replacements with commercial LED hardwired and downlight luminaires. Non-ENERGY STAR products must meet ENERGY STAR product eligibility category definition, certified " <b>Downlight</b> " ( <b>recessed, surface mount or pendant</b> ), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.					
8W–25W	Incandescent and HID systems	\$26.25/fixture	\$35/fixture		
26W–50W		\$37.50/fixture	\$50/fixture		
8W–25W	Compact fluorescent systems	\$18.75/fixture	\$25/fixture		
26W–50W		\$26.25/fixture	\$35/fixture		

New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>LED and LEC exit signs</b>					
Rebates are based on replacement of incandescent exit signs to LED or LEC exit signs. LED exit signs do not need to follow the DLC requirement (until further notice).					
LED and LEC exit signs	Incandescent exit signs	\$25/fixture			

<b>LED high/low bay fixtures and retrofit kits</b>						
Rebates are based on replacement of HID and fluorescent high/low/aisle bay fixtures with new LED high/low-aisle bay fixtures and retrofit kits. Non-DLC products must meet the DLC product eligibility category definition, " <b>High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings, Retrofit Kits High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings</b> ", to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Linear ambient (or "strip") fixtures are not eligible in this category. High bay luminaires must include a permanent LED array of diodes. Fixtures with pin-based tubes are not eligible for this rebate. <b>Rebates for 75-94W LED high bay fixtures high/low bay fixtures are available for invoices dated on or after September 1, 2019.</b>						
LED high/low bay fixtures	75W–94W	HID*** fixtures	\$56.25/fixture	\$75/fixture		
	95W–189W		\$101.25/fixture	\$135/fixture		
	190W–290W		\$112.50/fixture	\$150/fixture		
	291W–464W		\$150/fixture	\$200/fixture		
	465W–625W		\$187.50/fixture	\$250/fixture		
Retrofit kit for LED high/low bay fixtures	75W–94W		\$22.50/fixture	\$30/fixture		
	95W–189W		\$30/fixture	\$40/fixture		
	190W–290W		\$37.50/fixture	\$50/fixture		
	291W–464W		\$60/fixture	\$80/fixture		
	465W–625W		\$120/fixture	\$160/fixture		
			For invoices dated on or after July 1, 2019 and September 1, 2019			
LED high/low bay fixtures	75W–94W	Fluorescent T12, T8, T5 fixtures	\$56.25/fixture	\$75/fixture		
	95W–189W		\$101.25/fixture	\$135/fixture		
	190W–290W		\$112.50/fixture	\$150/fixture		
Retrofit kit for LED high/low bay fixtures	75W–94W		\$22.50/fixture	\$30/fixture		
	95W–189W		\$30/fixture	\$40/fixture		
	190W–290W		\$37.50/fixture	\$50/fixture		

\*\*\*HID equipment includes the following technologies: mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide.

## Interior installations (continued)

New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>LED linear ambient fixtures</b>					
Rebates are based on replacement of T8, T12 and T5 fluorescent ambient fixtures with new LED direct Linear Ambient fixtures. <b>Starting January 1, 2019 you may earn rebates for replacing T8 linear ambient existing fixtures with LED direct linear ambient fixtures. All T8 to LED direct linear ambient projects must be invoiced on or after January 1, 2019.</b> Non-DLC products must meet the DLC product eligibility category definition, <b>Direct Linear Ambient fixtures</b> , to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.					
			For invoices dated on or before June 30, 2019		
LED direct linear ambient	10W–35W	T8 and T12 linear ambient fixture	\$26.25/fixture	\$35/fixture	
	36W–60W		\$41.25/fixture	\$55/fixture	
	61W–100W		\$56.25/fixture	\$75/fixture	
			For invoices dated on or after July 1, 2019		
LED direct linear ambient	10W–35W	T8, T12 and T5 linear ambient fixture	\$11.25/fixture	\$15/fixture	
	36W–60W		\$11.25/fixture	\$15/fixture	
	61W–100W		\$18.75/fixture	\$25/fixture	

<b>LED refrigerated case lighting 5- and 6-foot doors</b>					
Rebates are based on replacement of T12 or T8 linear 5- to 6-foot fluorescent refrigerated case door lighting with new 5- to 6-foot LED refrigerated case door strip lighting. Non-DLC products must meet the DLC product eligibility category definition " <b>Vertical Refrigerated Case Luminaires.</b> " Category covers only complete luminaires, with all necessary components. Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate.					
LED 5- and 6-foot doors	Cooler case	Freezer case	Fluorescent T8 and T12 systems	\$33.75/door	\$45/door

<b>LED troffer fixtures and retrofit kit</b>					
Rebates are based on replacement of fluorescent T12, T8 or T5 fixtures with new LED troffer fixtures or retrofit kits. Non-DLC products must meet the DLC product eligibility category definitions, " <b>1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces</b> " and " <b>integrated-style retrofit kits for 1x4, 2x2</b> " and " <b>linear-style retrofit kits for 2x2, 1x4, and 2x4 luminaires for ambient lighting of interior commercial spaces</b> ". Linear ambient (or "strip") fixtures are not eligible in this category and should be submitted through the Linear Ambient category.					
LED troffer fixtures & retrofit kit for LED troffer fixtures	10–100W	Fluorescent T8, T12, and T5 troffer fixtures	\$22.50/fixture	\$30/fixture	

New Equipment	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>Stairwell fixtures</b>				
Rebates are based on replacement of a T12, T8, T5, HID, or CFL with a 20W–60W LED stairwell fixture. Stairwell fixtures invoiced on or before August 31, 2018 must have an integrated occupancy sensor or step-dimming ballast. Stairwell fixtures invoiced on or after September 1, 2018 do not need to have an integrated occupancy or step dimming ballast to be eligible for the prescriptive stairwell rebate instead customers can receive separate rebates for the controls portion of the fixture through the new standalone controls rebates. Non-DLC products must meet the DLC product eligibility category definition, "stairwell/passageway luminaires".				
Stairwell fixture	\$30/fixture	\$40/fixture		

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

## LED Instant Rebates

Starting July 1, 2019 LED linear tubes, LED moguls screw base replacement lamps and LED replacement lamps for pin-based CFL lamp rebates will be offered through the business LED instant rebate program. To continue to obtain rebates for these lamps after June 30, 2019 make sure that you are working with a participating distributor. For more information, visit [xcelenergy.com/LightingEfficiency](http://xcelenergy.com/LightingEfficiency) and [businessledinstantrebate.com/Locator/Distributors](http://businessledinstantrebate.com/Locator/Distributors) to find a list of participating distributors.

New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>Business LED instant rebates</b>					
A-lamp, PAR, BR, R, MR, decorative lamps	Select screw-in and pin-based LED lamps, LED downlight solid state retrofit kits, LED tubes and LED mogul screw base lamps are eligible for <b>instant rebates</b> at the time of purchase from participating distributors. These products will be discounted at the time of purchase and no additional rebate paperwork is required. For more information, visit <a href="http://xcelenergy.com/LightingEfficiency">xcelenergy.com/LightingEfficiency</a> , or visit <a href="http://businessledinstantrebate.com/Locator/Distributors">businessledinstantrebate.com/Locator/Distributors</a> to find a participating distributor.				
LED retrofit kit for downlights					
LED tubes					
LED mogul screw base lamps					
LED 2-pin or 4-pin lamps					
<b>LED linear replacement lamps for invoices dated before July 1, 2019, for invoices dated after July 1, 2019, use Instant Rebates above</b>					
Rebates are based on one-for-one replacement of fluorescent T8 or T12 lamps with new LED linear replacements lamps. Non-installed Type A and Type B lamps purchased in cases can qualify for rebates as long as they are stored on the premise. Non-DLC products must meet the DLC product eligibility category definition " <b>Replacement Lamps (plug and play) (UL Type A)</b> ", " <b>Internal – driver/line voltage linear lamp-style retrofit kits (UL Type B)</b> " and " <b>External – driver lamp-style retrofit kits (UL Type C)</b> ". Replacement lamps listed on the DLC QPL as "Dual Mode Internal Driver lamps (UL Type A/B) are also allowed and the rebate amount is dependent upon the type of installation. LED linear replacement lamps installed in new construction must also be submitted through the Custom Efficiency program. <b>See DLC replacement lamps page for more detail on testing requirements.</b> Rebates are based on new lamp nominal wattage.					
LED linear tube – UL type A and type A/B, 2 foot	2 foot T8 fluorescent fixture	\$1.50/tube	\$2/tube		
LED linear tube – UL type A and type A/B, 4 foot	4 foot T8 and T12 fluorescent fixture	\$1.50/tube	\$2/tube		
LED linear tube – UL type B, 4 foot only	4 foot T8 and T12 fluorescent fixture	\$2.25/tube	\$3/tube		
LED linear tube – UL type C, 2 foot	2 foot T8 fluorescent fixture	\$3.75/tube	\$5/tube		
LED linear tube – UL type C, 4 foot	4 foot T8 and T12 fluorescent fixture	\$3.75/tube	\$5/tube		
<b>LED mogul screw base replacements for HID lamps for invoices dated before July 1, 2019, for invoices dated after July 1, 2019, use Instant Rebates above</b>					
Rebates are based on one-for-one replacement of interior HID mogul-based screw-in lamps with new LED mogul screw base lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the premise. Non-DLC products must meet the DLC product eligibility category definition " <b>mogul screw-base replacements for HID lamps for high/low-bay luminaires (internal driver/UL type B) or Mogul Screw-Base Replacements for Parking Garage Luminaires (internal driver/Type B).</b> " UL type C lamps do not qualify for prescriptive rebates but can be considered in the Custom Efficiency program. Rebates are based on new lamp nominal wattage. New lamps must be interior installations, exterior lighting does not qualify but can be considered in the Custom Efficiency program.					
LED mogul screw-base lamps	40W–49W	HID** lamps	\$30/lamp	\$40/lamp	
	50W–79W		\$37.50/lamp	\$50/lamp	
	80W–119W		\$45/lamp	\$60/lamp	
	120W–144W		\$56.25/lamp	\$75/lamp	
	145W–230W		\$56.25/lamp	\$75/lamp	
<b>LED replacement lamps for pin-based CFL lamps for invoices dated before July 1, 2019, for invoices dated after July 1, 2019, use Instant Rebates above</b>					
Rebates are based on one-for-one replacement of CFL 2 or 4 pin lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the premise. Non-DLC products must meet the DLC product eligibility category definition, " <b>LED Replacement for Pin-Based CFL Lamps (UL Type A)</b> ". UL Type B pin-based lamps do not qualify for prescriptive rebate but can be considered in the custom efficiency program. New lamps must be interior installations, exterior lighting does not qualify but can be considered in the Custom Efficiency program.					
LED 2-pin or 4-pin lamps, 5W–21W	CFL 2 or 4 pin lamps	\$5.25/lamp	\$7/lamp		

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

\*\*HID equipment includes the following technologies: mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide.

## Exterior installations

New Equipment		Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>LED canopy fixtures</b> Rebates are based on replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Fuel Pump Canopy Luminaires". Equipment must be hard-wired and is not limited to gas stations installations. Rebates are based on total new fixture wattage. Downlights do not qualify. LED fixtures must replace HID** fixtures.					
25W-60W		\$15/fixture	\$20/fixture		
61W-150W		\$18.75/fixture	\$25/fixture		
<b>LED parking garage fixtures</b> Rebates are based on replacement of HID parking garage fixtures with new LED parking garage fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Parking Garage Luminaires". Eligible parking garage structures need to be either underground or semi-enclosed above ground. <b>The lighting within the garage must operate 24 hours a day.</b> LED retrofit kits are not available for prescriptive rebates, but can be considered in the Custom Efficiency program. Rebates are based on total new fixture wattage. Prescriptive parking garage retrofit rebates are also available for other fixture types. LED fixture must replace HID** fixtures.					
25W-60W		\$86.25/fixture	\$115/fixture		
61W-83W		\$93.75/fixture	\$125/fixture		
<b>LED street and area lighting fixtures</b> Customers must be on a metered rate to qualify for LED Street Lighting rebates. Rebates are based on replacement of HID fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "Bollard". Rebates are based on total new fixture wattage. LED fixture must replace HID** fixture.					
Street Lighting	55W-79W	\$18.75/fixture	\$25/fixture		
	80W-109W	\$18.75/fixture	\$25/fixture		
	110W-139W	\$30/fixture	\$40/fixture		
	140W-209W	\$37.50/fixture	\$50/fixture		
Area Lighting	45W-65W	\$26.25/fixture	\$35/fixture		
	66W-89W	\$26.25/fixture	\$35/fixture		
	90W-119W	\$30/fixture	\$40/fixture		
	120W-140W	\$37.50/fixture	\$50/fixture		
	141W-199W	\$45/fixture	\$60/fixture		
	200W-550W	\$67.50/fixture	\$90/fixture		
<b>LED wall pack fixtures – exterior and parking garage installations</b> Rebates are based on replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Outdoor Wall-Mounted Area Luminaires". Rebates are based on total new fixture wattage. LED fixture must be an HID** replacement fixture. <b>Wall packs installed in parking garages must operate 24 hours a day.</b>					
Building exterior	10W-25W	\$11.25/fixture	\$15/fixture		
	26W-60W	\$22.50/fixture	\$30/fixture		
	61W-150W	\$37.50/fixture	\$50/fixture		
Parking garage	10W-25W	\$22.50/fixture	\$30/fixture		
	26W-60W	\$45/fixture	\$60/fixture		
	61W-150W	\$56.25/fixture	\$75/fixture		

Subtotal for LED rebates

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

\*\*HID equipment includes the following technologies: mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide.

**Standalone and networked lighting controls**

Lighting control rebates are available for LED interior retrofit and parking garage retrofit fixtures, as well as LED tubes and lamps. Control rebates are in addition to fixture rebates. Controlled fixtures must either be retrofit in conjunction with the controls installation or installed within the past 5 years. Information verifying the connected LED fixtures must be provided to verify the controlled wattage.

New Equipment	Specifications	Rebate/ watt	Qty. watts connected=	Rebate
<b>Standalone Lighting Controls</b>				
Rebates are based on the amount of watts controlled by the sensor. The occupancy and/or photocell controls must be permanently mounted to a wall, ceiling or integrally into the fixture. To earn a standalone lighting control rebate, the fixture cannot exceed 35% of full wattage during unoccupied periods. The low mode setting should be chosen so that the surface illumination levels are code compliant. Standalone controls must function independently, not as part of a Networked Lighting Control system.				
Occupancy sensor	Adjusts light levels according to the presence of occupants	\$0.05/watt		
Daylighting (photocell) sensor	Adjusts light levels automatically in response to the presence of natural light	\$0.10/watt		
Occupancy and daylighting (photocell) sensor	Performs functions of both	\$0.15/watt		

<b>Networked Lighting Controls</b>				
Rebates are based on the amount of watts controlled by the system. Rebates are available for networked lighting control equipment that meet the following system requirements: <b>(1) Design Lights Consortium (DLC) Qualified:</b> Control equipment must be on the DLC Qualified Product List (QPL) <a href="http://designlights.org/lighting-controls/download-the-qpl/">designlights.org/lighting-controls/download-the-qpl/</a> ; <b>(2) High End Trim:</b> Required, 80% or lower; <b>(3) Daylighting:</b> Must be deployed where side and top lighting is available as defined in IECC 2015, <a href="https://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency">https://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency</a> ; <b>(4) Occupancy sensing:</b> Controls configured in occupancy or vacancy mode with timeout set to 20 minutes or less. <b>(5) Commissioning:</b> Project has been commissioned to comply with the above requirements 1-4. Networked lighting control systems with additional capabilities may be eligible for increased rebates through the Advanced Lighting Controls Custom offering. <b>(6) Controlled fixtures must be LED,</b> either retrofit in conjunction with the controls installation or installed within the past 5 years. Spec sheets and invoices for connected LED fixtures must be provided to verify the controlled wattage.				
Networked Lighting Control (NLC)		\$0.40/watt		

\*I certify the six (6) networked lighting controls requirements listed above are met, the system has been commissioned, and working as designed.

**Commissioning Agent Information** (commissioning agent is the programmer of the NLC system)

Company name \_\_\_\_\_

Agent name \_\_\_\_\_

Agent signature \_\_\_\_\_ Date \_\_\_\_\_

**Subtotal for standalone and networked control rebates**

**Total rebate**

Removed lighting	Fixture qty.
Fluorescent fixture Lamp type: T5      T8      T12 Ballast type: Rapid start electronic ballast Program start electronic ballast Instant start electronic ballast Ballast factor: HBF      NBF      LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp
Fluorescent fixture Lamp type: T5      T8      T12 Ballast type: Rapid start electronic ballast Program start electronic ballast Instant start electronic ballast Ballast factor: HBF      NBF      LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp
Fluorescent lamps Lamp type: T8      T12 Ballast type: Rapid start electronic ballast Program start electronic ballast Instant start electronic ballast Ballast factor: HBF      NBF      LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp

Installed lighting	Fixture qty.
LED troffer Fixture wattage _____ Fixture lumens _____ <i>Fixture lumens field is required for invoices dated on or after September 1, 2018.</i>	
LED troffer retrofit kit Fixture wattage _____ Fixture lumens _____ <i>Fixture lumens field is required for invoices dated on or after September 1, 2018.</i>	
LED linear direct ambient      Wattage per fixture _____	
Luminaire-level Lighting controls for LED troffer fixtures	Sensor type
	Integral occ sensor
	Integral photo sensor
	Integral occ sensor and photo sensor

Installed lighting	Fixture qty.	
LED linear replacement lamps	Plug & play (UL type A) Ballast factor _____ Nominal wattage per lamp _____	2-foot 4-foot
	Direct line voltage (UL type B) Nominal wattage per lamp _____	4-foot
	External driver (UL type C) Lamps per kit _____	2-foot
		4-foot

Removed lighting	Fixture qty.
CFL lamp Wattage per lamp _____ Number of lamps _____	
Pin-based, 2- or 4-pin lamp Wattage per lamp _____	
Incandescent exit signs	

Installed lighting	Fixture qty.
Bi-level stairwell fixture T8: Lamp wattage _____ LED: Fixture wattage _____ Percent dimming _____	
LED pin-base lamp 2-pin _____ 4-pin _____ Nominal wattage per lamp _____	
LED exit signs      LEC exit signs	

Removed lighting	Fixture qty.
Incandescent Wattage per lamp _____ Number of lamps _____	

Removed lighting	Fixture qty.
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	

Installed lighting	Fixture qty.
Exterior LED canopy and soffit fixtures      Wattage per fixture _____	
Exterior LED wall pack fixtures      Wattage per fixture _____	
LED parking garage fixtures      Wattage per fixture _____	
Luminaire-level lighting controls for LED parking garage fixture	Sensor type
	Integral occ sensor
LED area lighting      Wattage per fixture _____	
LED street lighting      Wattage per fixture _____	
LED high bay fixtures      Wattage per fixture _____	
LED high bay retrofit kit      Wattage per kit _____	
LED mogul screw-base replacements for HID lamps      Wattage per lamp _____	
LED downlight fixtures      Wattage per fixture _____	

Removed lighting	Fixture qty.
Fluorescent refrigerated or freezer case lighting 5-foot                  6-foot                  T8 Cooler case              Freezer case              T12 Wattage/door _____	

Installed lighting	Fixture qty.
LED Refrigerated case lighting      Wattage per door _____	
Luminaire-level lighting controls for refrigerated LED case lighting 5- and 6-foot doors	Sensor type
	Integral occ sensor

**Standalone and Networked Lighting Controls**

Occupancy sensor	Daylighting (photocell) sensor	Occupancy and daylighting (photocell) sensor	Networked Lighting Control
Number of fixtures _____	Connected watts _____		



**Cost worksheet**

Enter the total equipment and labor costs for each individual product. An individual product is defined as a specific lighting technology with a single wattage value or a lighting control.

Equipment	Fixture wattage, or wattage connected	Qty. =	Total equipment cost	Total labor cost
Example: 2x4 LED Troffer	25	4	\$100	\$100
Example: Occupancy control	100	1	\$100	\$100

## Business customer information information

### 1. Rebate application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

### 2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

### 3. Specifications (if applicable)

Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified, and products that are comparable but not DLC or ENERGY STAR listed. Because LED products have become more prevalent and the overall quality has improved, Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. **If a fixture's wattage or category specification are in question, please reference the DLC listed tested wattage and specification.**

#### ENERGY STAR and DesignLights Consortium Qualified Product Lists

The DLC promotes quality, performance and energy-efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. Visit [designlights.org/QPL](http://designlights.org/QPL) to search for qualified commercial products. **For the technical requirements to be listed on the DLC QPL, please visit this website: <https://www.designlights.org>.**

ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty. Visit [energystar.gov/products](http://energystar.gov/products) to search for qualified commercial products.

### 4. Submittal

Please submit forms to an account manager (if applicable). If there is not an Xcel Energy account manager on the account, please email forms to: [energyefficiency@xcelenergy.com](mailto:energyefficiency@xcelenergy.com) (preferred), or fax to 800.311.0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

## Rules and requirements information

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying interior lighting equipment (and select exterior fixtures) in an existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for custom lighting project review prior to beginning the project.

#### Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Colorado electric service territory. Check the Xcel Energy website ([xcelenergy.com](http://xcelenergy.com)) to verify eligibility. Residential customers—please contact Xcel Energy at 800.895.4999 to learn about our residential energy efficiency programs.

#### Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- All projects must be identified as either early replacement or replace on burnout. To determine which situation your project falls under, please answer this question on page 1: *'Do 50% or more of your facility's lights still work? Yes(check box) No(check box)'*
- If your project has 50% or more of the lighting system functioning, it qualifies as early replacement. If your project has 50% or more of the lighting system malfunctioning, it qualifies as replace on burnout.
- Xcel Energy's prescriptive rebate program will allow prescriptive parking garage retrofits to earn rebates for the following technologies, but at the rebate level the technology is associated and meets the DLC product eligibility category definition.
  - Linear ambient fixtures
  - Troffer fixtures
  - LED tubes
  - Bi-level stairwell fixtures
  - Mogul screw base lamps

- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- Customers who purchase lights in bulk can earn rebates on select LED lamps (listed below) for stocking purpose. Lamps in storage MUST remain on the premises.
  - LED Linear tubes Type A and Type B
  - LED mogul screw-based lamps
  - LED 2 pin and 4 pin lamps

#### • Policy Update: 1:1 Effective July 1, 2019

Retrofit projects that are not a one-for-one replacements may be submitted through the prescriptive program if the baseline fixtures are reduced by less than 50%. If the retrofit project reduces fixtures by more than 50%, the project will need to be analyzed custom.

#### • Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.

- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 12 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please contact an account manager or call our Business Solutions Center at 855.839.8862 for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that the project does not comply with program rules and standards, any rebate received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with an account manager or call the Business Solutions Center at 855.839.8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize participation in this program, unless specifically requested otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at [iesna.org](http://iesna.org).
- Purchases made from a residential-based participating retail location do not qualify for a Lighting Efficiency Rebate. Find a list of participating retailers at [xcelenergy.com/BulbFinder](http://xcelenergy.com/BulbFinder).

## Warranty information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.