Colorado



# Cooling Efficiency 2017 Cooling Equipment Rebate Application

For use with invoices dated on or after March 1, 2017

Business customer information			
Company legal name		Date su	bmitted
Mailing address			
City	County	State	ZIP
Installation address (if different)			
City	County	State	ZIP
Contact name			
Email_			
Check this box if you do not want to receive emails from Xc			
Xcel Energy electric premises number			
Please indicate the primary use for this location:			
☐ Office ☐ Education — community college	☐ Health/medical — clinic		
☐ Retail ☐ Education — secondary college	☐ Health/medical — hospital		
☐ Lodging ☐ Education — university	☐ Other		
Equipment used for non-space conditioning must go thro	ugh our Custom Efficiency program and be preapp	roved prior to purchase.	
I verify the information on this application is correct and $% \left( 1\right) =\left( 1\right) \left( 1\right) $	request consideration for participation in this prog	gram.	
Customer authorized signature		Date_	
Customer hereby certifies that: 1. the customer, and not Xcel Ener operational prior to submitting rebate; and 3. all rules and require in this rebate program shall impose no liability on Xcel Energy. In	ments of this Xcel Energy program as noted below have b	peen followed. Further, the customer	acknowledges that participation
Xcel Energy account manager			
Alternate rebate recipient			
Note: Complete this section only if the customer wants t	he rebate check to go to someone other than the	company tied to the premises nu	ımber above.
Company name	Contact name		
Phone number			
Address		State	ZIP
I authorize the above company to receive the rebate chec	ck for this project.		
Customer authorized signature		Date	
HVAC contractor information			
Company name			
Contact name (print)			
Address			
Contact email*	Phone		

\*By providing your email address, you are granting Xcel Energy permission to send further emails regarding our programs and services.

Page 1 of 6 17-08-521 | CRS 1698

Cooling Efficiency Rebate Business Application

Business Solutions Center 855.839.8862

Colorado

## Rebate rules and regulations

#### **Qualifying Customers**

 The Cooling Efficiency program is available to Xcel Energy business electric customers in Colorado.

#### **Program Rules**

- Xcel Energy offers a cash rebate to customers who purchase and install
  qualifying cooling equipment. Qualifying levels are detailed in this application
  and must be verified by manufacturer or Air-Conditioning and Refrigeration
  Institute (ARI) specifications. Xcel Energy expects that the customer will
  operate energy-efficient equipment at the manufacturer's specified efficiency
  levels. Xcel Energy reserves the right to limit any rebate or make adjustments
  to correct incentive calculations if necessary.
- Rebates apply only to new cooling equipment. Used, rebuilt or refurbished equipment is not eligible for program rebates.
- Documents establishing proof of purchase (invoice) must be furnished when the original rebate application is completed.
- If not indicated on the invoice, please add the number of units installed, manufacturer, model number and cooling capacity (in tons).
- Unless otherwise indicated on the rebate form all efficiencies must be rated at the most recent ARI specifications.
- No rebates will be provided for backup systems. A backup system is defined as a separate chiller that is required only when one of the primary chillers fail.
- Cooling equipment must use a minimum ozone-depleting refrigerant such as R-410A, R-123, and R-134.
- If equipment efficiency is in SEER where the application asks for EER, multiply SEER by 0.855 to calculate EER rating.

#### **Water Cooled Centrifugal Chiller Rebate Rules**

- Include the manufacturer's data sheet with the rebate application for chillers.
   The data sheet should include full load efficiency, part load efficiencies and testing conditions.
- To determine program qualification and proposed rebate, please contact your account manager or an energy efficiency specialist at 1-855-839-8862.

#### **VSDs on Chillers**

 Applications must include original chiller specifications and manufacturer's VSD performance specifications (for centrifugal chillers only.)

#### **Direct Evaporative Pre-Cooling**

- For single air cooled packaged rooftop or matched split system condensers and air cooled chillers only.
- Units must have a media performance efficiency of at least 75% (dry bulb temperature reduction achieved divided by the wet bulb depression) provided by the manufacturer.
- If sump is used, must have periodic purge control.
- Must have enthalpy controls to control pre-cooler operation.
- Prescriptive rebate not available for dedicated data centers.
- · Water supply must have chemical or mechanical water treatment.

#### **General Xcel Energy Rebate Rules**

- Rebate plans are available to existing Xcel Energy direct-billed electric commercial and industrial customers in Colorado only.
- No rebates will be given for equipment or designs that do not comply with program rebate rules and requiremets with local, state or federal regulations.
- This rebate form and these rebate rules and requirments go into effect March 1, 2017 (unless otherwise indicated) and supersede all previous program rules and requirements. The program is currently in effect for an indefinite period, but is subject to 60 days notice of change or cancellation. The customer is responsible for checking with Xcel Energy to determine whether the program is still in effect. In the event that a program is canceled, there will be a PUC filing and notification will be posted on xcelenergy.com.
- Xcel Energy reserves the right to inspect installations before issuing rebates.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning – Fraudulent submission of forms may result in federal prosecution for mail fraud under 18 USC sections 1341, 1342.
- Customers must apply for rebates within one year of the units' purchase date shown on the customer's invoice.
- Xcel Energy will issue rebates in the form of checks, not utility bill credits.
   Xcel Energy will issue rebates when the total amount is greater than or equal to five (5) dollars.

Note: Cooling Efficiency rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is five (5) dollars. Xcel Energy's payment of program rebates is not an Xcel Energy warranty of the design, manufacture, installation, operation or performance of customer's equipment. Xcel Energy shall not be liable to any claims for personal injury or property damage resulting from the design, manufacture, installation, operation or performance of customer's equipment. Xcel Energy's liability shall be limited to the amount of the program rebate paid to customer.

Contact an energy efficiency specialist at **855.839.8862** or by email at **energyefficiency@xcelenergy.com** for more information.

Page 2 of 6 17-08-521 | CRS 1698

Business Solutions Center 855.839.8862

Colorado

## How to apply for rebates

- 1. Fill out the rebate application. Please note the Rules and Requirements section on page 2 of this form. (All information needs to be supplied before a rebate check can be issued.)
- 2. Email, mail or fax completed and signed rebate form along with the original paid invoices. Email to: energyefficiency@xcelenergy.com (preferred) or fax to: 800.311.0050, or mail to: Energy Efficiency Specialists, Business Solutions Center, P.O. Box 8, Eau Claire, WI 54702

Dahata lavela and requirements	Minimum to	qualify	Incremental rebate			
Rebate levels and requirements	Minimum efficiency	Base rebate per ton	Increment	Increment rebate per ton		
Anti-sweat heater controls	n/a	\$60/door	n/a	n/a		
Chillers – water cooled scroll or rotary screw*						
< 75 tons	.742 FLV kW/ton .584 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per IPLV 0.01 kW/ton below base		
≥ 75 tons and < 150 tons	.712 FLV kW/ton .544 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per IPLV 0.01 kW/ton below base		
≥150 tons and < 300 tons	.652 FLV kW/ton .524 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per IPLV 0.01 kW/ton below base		
> 300 and ≤ 600 tons	.602 FLV kW/ton .504 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per IPLV 0.01 kW/ton below base		
> 600 tons	.552 FLV kW/ton .484 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per IPLV 0.01 kW/ton below base		
Chillers – water cooled centrifugal	Must improve on IECC 2015 baseline by .008 FLV and .008 IPLV kW/ton	\$15	0.01 kW / ton	\$2 per FLV + \$1.50 per NPLV 0.01 kW/ton below base		
Direct Evaporative Pre-Cooling for Air-Cooled Condensers (DEPACC)						
Single units ≥ 120,000 BTUH (≥ 10 tons)	Packaged rooftop (RTU) or matched split systems, and air cooled chillers	\$100/ton of installed cooling				
Ductless Mini-split AC - data center	16 SEER	\$20	.1 SEER	\$1		
Ductless Mini-split heat pump	16 SEER/11 HSPF	\$50	.1 SEER	\$2		
EC motors (electronically commutated motor)						
Refrigerated display case (medium temp)	n/a	\$40	n/a	n/a		
Freezer display case (low temp)	n/a	\$40	n/a	n/a		
Walk-in refrigerator (medium temp)	n/a	\$70	n/a	n/a		
Walk-in freezer (low temp)	n/a \$70		n/a	n/a		
VSDs on chillers	Determined by existing chiller po and manufacturers VSD perform			\$1.50/ton per IPLV for every 0.01 kW/ton below max		
*Rebates are based on ARI (550/590) test conditions only.						

### **Warranty information**

Warranties are between the customer and the equipment manufacturer(s). Xcel Energy makes no warranties, expressed or implied, with respect to equipment design, manufacture, installation, operation or performance. Xcel Energy does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under the program. In no event shall Xcel Energy be liable for any incidental or consequential damages. Xcel Energy is not responsible for the disposal of motors replaced as a result of this program.

Please allow six to eight weeks for rebate check to arrive.

■ Anti-sweat heater controls						
No. of doors	ors Manufacturer Model no. Rebate calculation I		Item rebate			
			No. of doors x \$60 =			

Page 3 of 6 17-08-521 | CRS 1698

Colorado

□ Chille		entrifuç												
No. of un	its		Manufactu	rer	Model no.		Tons	/unit	FLV	FLV (kW/ton)		NPLV (kW/ton) Econom		Economizer
													Ι,	Air or Waterside
														No Economizer
			Determine r	rebate by conta	cting your Xcel E	nergy account r	managei	r or an ener	gy efficie	ncy specialis	t at <b>855</b>	.839.8862		
□ Chille	ers – v	vater co	oled scroll	or rotary s	crew									
No. of un	its	Manufa	cturer	Model no.		Tons/unit	$\longrightarrow$	FLV (kW/	ton)	IPLV (kW/	(ton)	Econom	izer	Item rebate
												Air or		
												☐ No Eco		
(Ba	ase: \$15	Х	_ tons = \$	) + (Efficie	ncy: (FLV \$2 x	a X	to	ons = \$	) + (	IPLV \$1.50 x		b X	tons =	= \$)
		a = [N	Vin. qualifying	FLV kW/ton – E	quipment FLV kV	//ton]/0.01	b = [l	Min. qualify	ying IPLV I	kW/ton — Equ	uipment	t IPLV kW/to	on]/0.01	
□ Diroo	t over	orotivo	nro coolin	<b>a</b>										
No. of un		oralive	pre-coolin Manufactu		Model no.		Tons	/unit		Item re	hoto			
No. or un	IIIS		Ivialiulactu	161	iviouei iio.		10115/	unit		Itemire	. Date			
					(D	ф4.00	<u> </u>	Φ.	1					
					(Base	e: \$100 x	_ tons =	\$	_)					
		lini-spli	t AC - data			T								
No. of un	its		Manufactu	rer		Model no	0.		Tons/u	nit	EER/	SEER	li li	tem rebate
			(B	ase: \$20 x	tons = \$	_) + (Efficiency:	\$1 x	a X	tons =	\$) =	\$	-		
		lini-spli	t heat pump										Π.	
No. of un	iits		Manufactu	rer		Model no	D		Tons/u	nit	EER/	SEER		tem rebate
			(B	ase: \$50 x	tons = \$	_) + (Efficiency:	\$2 x	a X	tons =	\$) =	\$	_		
			a = [Equipm	ent EER or SEE	R (from vendor) –	- Min. qualifyin	g EER oi	r SEER (fror	n table of	Min. Qualify	ing Crit	eria)] / 0.1		
■ EC me	otors (	electro	nically com	nmutated m	otors)									
			<u> </u>											
Section A	– ECM:	s that rep	laced shaded	pole motors v	within refriger	ated display	cases	<b>S</b> .						
Line #	End ι	ıse funct	tion		Manufacture	r		Model	l #			Rebate	Qty	Rebate x qty = total rebate
1	Refri	gerated dis	splay case (med	lium temp)								\$40		
2	Refri	gerated dis	splay case (med	lium temp)								\$40		
3	Refri	gerated dis	splay case (med	dium temp)								\$40		
4	Rofri	noratod die	splay case (med	I:				1				\$40	I	I

# $\textbf{Section B}-\text{ECMs that replaced shaded pole motors within low temperature (\textbf{freezer}) \textbf{ display cases}.$

Line #	End use function	Manufacturer	Model #	Rebate	Oty	Rebate x qty = total rebate
5	Freezer display case (low temp)			\$40		
6	Freezer display case (low temp)			\$40		
7	Freezer display case (low temp)			\$40		
8	Freezer display case (low temp)			\$40		

Subtotal, sections A & B		
--------------------------	--	--

Cooling Efficiency Rebate Business Application

Business Solutions Center 855.839.8862

Colorado

# ■ EC motors (electronically commutated motors) cont.

**Section C** – ECMs that replaced shaded pole motors within **walk-in refrigerators**.

Line #	Function/fan size	е	Manufacturer	Model #	Rebate	Qty	Rebate x qty = total rebate
9	Walk-in refrig. (medium temp)	☐ More than 15" or ☐ Less than 15"			\$70		
10	Walk-in refrig. (medium temp)	☐ More than 15" or ☐ Less than 15"			\$70		
11	Walk-in refrig. (medium temp)	☐ More than 15" or ☐ Less than 15"			\$70		
12	Walk-in refrig. (medium temp)	☐ More than 15" or ☐ Less than 15"			\$70		

**Section D** – ECMs that replaced shaded pole motors within **walk-in freezers**.

Line #	Function/fan size	e	Manufacturer	Model #	Rebate	Qty	Rebate x qty = total rebate
13	Walk-in freezer (low temp)	☐ More than 15" or ☐ Less than 15"			\$70		
14	Walk-in freezer (low temp)	☐ More than 15" or ☐ Less than 15"			\$70		
15	Walk-in freezer (low temp)	☐ More than 15" or ☐ Less than 15"			\$70		
16	Walk-in freezer (low temp)	☐ More than 15" or ☐ Less than 15"			\$70		

	Subtotal, sections C & D	
<b>PLEASE NOTE:</b> Each line of sections C and D MUST INDICATE if the ECM will drive an evaporator fan of more or less than 15 inches. Items that do not indicate the fan size cannot be rebated.	Grand total, sections A, B, C & D	

■ VSDs on chillers									
No. of units	Manufacturer	Model no.	Tons/unit*	IPLV (previous)	IPLV (post)	Item rebate			
(IPLV \$1.50 °xtons = \$)									

 $a = [Previous \ IPLV \ kW/ton - Post \ IPLV \ kW/ton \ (design \ conditions)]/.01 \\ *chiller \ tons$ 

Xcel Energy retains the right to limit rebates or make adjustments to correct incentive calculations if necessary. Energy savings calculations are estimates and may vary from actual results. **Important:** Copies of all invoices and this completed application form are required before Xcel Energy can issue rebates. See Program Guidelines for additional information.

Page 5 of 6 17-08-521 | CRS 1698

Cooling Efficiency Rebate Business Application

Business Solutions Center 855.839.8862

Colorado

