



Lighting Efficiency

Lighting Retrofit Rebate Application

OID _____
Internal use only

Customer information

Xcel Energy premises numbers: _____ Electric: _____ and/or gas: _____

Company name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact name (print) _____ Phone _____

Contact email* _____ Fax _____

Equipment location description (required) _____

The total project cost: \$ _____
(Acceptable expenses include equipment and labor and do not include tax, freight or shipping costs.)

Customer signature _____ Date _____

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the terms and conditions on page 2 of this application. I also authorize Xcel Energy to provide a copy of the project preapproval notification to the equipment supplier or vendor so as to expedite the project process.

Alternative rebate recipient

Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.

Company name _____ Contact name _____

Address _____ Phone _____

City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer signature _____ Date _____

Xcel Energy account representative name _____ Signature _____

Trade partner information (vendor/contractor information)

Company name _____ Trade partner ID# _____

Contact name (print) _____

Address _____ City _____ State _____ ZIP _____

Contact email* _____ Phone _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

Facility characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? Air conditioned Heat only No air conditioning or heat

Please indicate the primary use for this location:

- | | | |
|---|--|--------------------------------------|
| <input type="checkbox"/> 24-hour facility | <input type="checkbox"/> Healthcare office/out-patient | <input type="checkbox"/> Office |
| <input type="checkbox"/> Big box retail/grocery | <input type="checkbox"/> Hospital | <input type="checkbox"/> Restaurant |
| <input type="checkbox"/> College/university | <input type="checkbox"/> Hotel/motel | <input type="checkbox"/> Retail |
| <input type="checkbox"/> Continuous lighting required by code | <input type="checkbox"/> Manufacturing | <input type="checkbox"/> Warehouse |
| <input type="checkbox"/> Elementary/secondary school | <input type="checkbox"/> Nighttime/exterior LED fixtures | <input type="checkbox"/> Other _____ |

LED rebate worksheet

Interior installations

Prescriptive rebates are available for the equipment listed below. Rebates are based on total new fixture wattage. Qualifying LED lighting technology will be eligible if the wattage falls within +/- 10% of the lowest and highest wattage level for the rebated product. **If your project does not fit one of the descriptions below, it may still qualify for a Custom Efficiency rebate. Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR® or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified and products that are comparable but not DLC or ENERGY STAR qualified. Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. These new tiered rebates are available starting November 1, 2017. Invoices must be dated on or after November 1, 2017 to earn the non-DLC and non-ENERGY STAR reduced rebate amount.** Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for Custom Efficiency lighting project review prior to beginning the project.

Equipment (for interior installations unless noted otherwise)	Specifications	Non-DLC and non-ENERGY STAR rebate/unit	DLC or ENERGY STAR rebate/unit	Qty. =	Rebate
--	----------------	---	--------------------------------	--------	--------

LED downlight luminaires

Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and screw-in downlight luminaires. Rebates are available for non-ENERGY STAR listed products at 75% of the ENERGY STAR rebate level. Non-ENERGY STAR products must meet ENERGY STAR product eligibility category definition, certified **Downlight (recessed, surface mount or pendant)**, to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.

≤25W	Replace incandescent systems	\$26.25/fixture	\$35/fixture		
26W – 50W		\$37.50/fixture	\$50/fixture		
≤25W	Replace fluorescent systems	\$18.75/fixture	\$25/fixture		
26W – 50W		\$26.25/fixture	\$35/fixture		

LED and LEC exit signs

Rebates are based on one-for-one replacement of incandescent exit signs to LED or LEC exit signs. LED exit signs do not need to follow the DLC requirement (until further notice).

LED and LEC Exit Signs	Replace incandescent signs.	\$25			
------------------------	-----------------------------	------	--	--	--

LED high/low bay fixtures and retrofit kits

Rebates are based on one-for-one replacement of HID high/low/aisle bay fixtures with new LED high/low/aisle bay fixtures and retrofit kits. Rebates are available for comparable non-DLC and non-ENERGY STAR listed products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, **“High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings, Retrofit Kits High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings”**, to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Strip, wrap, or fixtures classified as linear ambient, do not qualify for this rebate but can be evaluated through Custom Efficiency.

LED high/low bay fixtures	95W – 189W	Replace HID systems	\$101.25/fixture	\$135/fixture		
	190W – 290W	Replace HID systems	\$112.50/fixture	\$150/fixture		
	291W – 464W	Replace HID systems	\$150/fixture	\$200/fixture		
	465W – 625W	Replace HID systems	\$187.50/fixture	\$250/fixture		
Retrofit kit for LED high/low bay fixtures	95W – 189W	Replace HID systems	\$30/fixture	\$40/fixture		
	190W – 290W	Replace HID systems	\$30.50/fixture	\$50/fixture		
	291W – 464W	Replace HID systems	\$60/fixture	\$80/fixture		
	465W – 625W	Replace HID systems	\$120/fixture	\$160/fixture		

LED mogul screw-base replacements for HID lamps

Rebates are based on one-for-one replacement of HID mogul-based screw-in lamps with new LED mogul screw base lamps. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition **“mogul screw-base replacements for HID lamps for high/low-bay luminaires (internal driver/UL type B).”** UL type C lamps do not qualify for prescriptive rebate but can be considered in the Custom Efficiency program. Rebates are based on total new lamp wattage.

LED mogul screw-base lamps	30W – 39W	Replaced HID lamps	\$22.50/lamp	\$30/lamp		
	40W – 49W	Replaced HID lamps	\$30/lamp	\$40/lamp		
	50W – 79W	Replaced HID lamps	\$37.50/lamp	\$50/lamp		
	80W – 119W	Replaced HID lamps	\$45/lamp	\$60/lamp		
	120W – 144W	Replaced HID lamps	\$56.25/lamp	\$75/lamp		
	145W - 230W	Replaced HID lamps	\$56.25/lamp	\$75/lamp		

Equipment (for interior installations unless noted otherwise)	Specifications	Non-DLC and non-ENERGY STAR rebate/unit	DLC or ENERGY STAR rebate/unit	Qty. =	Rebate
LED screw-in or pin-based lamps and LED retrofit kit downlights					
ENERGY STAR-qualified screw-in or pin-based LED lamps and LED downlight solid state retrofit kits are available for instant rebates at time of purchase through participating distributor. For more information, visit xcelenergy.com/Rebates , under the Lighting Efficiency program section.					
LED linear replacement lamps. For invoices dated on or after Nov 1, 2017. Rebates are based on one-for-one replacement of fluorescent T8 with new LED linear replacements lamps. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition " Replacement Lamps (plug and play) (UL Type A) ", " Internal - driver/line voltage linear lamp-style retrofit kits (UL Type B) " and " External - driver lamp-style retrofit kits (UL Type C) ". Replacement lamps listed on the DLC OPL as "Dual Mode Internal Driver lamps (UL Type A/B) are also allowed and the rebate amount is dependent upon the type of installation. LED linear replacement lamps installed in new construction must also be submitted through the Custom Efficiency program. See DLC replacement lamps page for more detail on testing requirements. Rebates are based on total new lamp wattage.					
LED linear tube – Type A and dual mode Type A/B, 2'	Replace 2' T8 fluorescent lamp	\$1.50/lamp	\$2/lamp		
LED linear tube – Type A and dual mode Type A/B, 4'	Replace 4' T8 fluorescent lamp	\$1.50/lamp	\$2/lamp		
LED linear tube – Type B and dual mode Type A/B, 4'	Replace 4' T8 fluorescent lamp	\$2.25/lamp	\$3/lamp		
LED linear tube – Type C, 2'	Replace 2' T8 fluorescent lamp	\$3.75/lamp	\$5/lamp		
LED linear tube – Type C, 4'	Replace 4' T8 fluorescent lamp	\$3.75/lamp	\$5/lamp		
LED Case Lighting Rebates are based on replacement of T12 or T8 linear 5- to 6-foot fluorescent refrigerated case door lighting with new 5- to 6-foot LED refrigerated case door strip lighting. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition " Vertical Refrigerated Case Luminaires. " Category covers only complete luminaires, with all necessary components. Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate, but can be considered under the Custom Efficiency program. Rebates are based on total new fixture wattage.					
5- or 6-foot doors		\$33.75/door	\$45/door		
Luminaire-level lighting controls for LED case lighting for invoices dated on or after January 1, 2017 Rebates are available for sensors permanently integrated into the case lighting fixture or an add-on by the manufacturer to be eligible for this rebate. Luminaire-level lighting controls are not eligible for exterior applications. Rebates are based on total new fixture wattage.					
Integral occupancy sensor		\$20/unit			
LED replacement for pin-based CFL lamps for invoices dated on or after January 1, 2017 Rebates are based on one-for-one replacement of CFL 2 or 4 pin lamps. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, " LED Replacement for Pin-Based CFL Lamps (UL Type A) " or Lighting Design Lab OPL . UL Type B pin-based lamps do not qualify for prescriptive rebate but can be considered in the custom efficiency program. Rebates are based on total new lamp wattage.					
LED 4-pin lamps	Replaces CFL 2 or 4-pin lamps	\$5.25/lamp	\$7/lamp		
LED troffer fixtures and retrofit kits Rebates are based on one-for-one replacement of fluorescent T8 fixtures with new LED troffer fixtures or retrofit kits. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, " 1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces " and " integrated-style retrofit kits for 1x4, 2x2 and 2x4 luminaires for ambient lighting of interior commercial spaces. " Linear ambient (or "strip") fixtures are not eligible in this category and should be submitted through the Custom Efficiency program.					
LED troffer fixture	LED troffer 2X4 retrofit 30W – 90W	Replace fluorescent T8 existing fixtures. Retrofits can include any combination of LED 2x4, 2x2 or 1x4 fixtures replacements for fluorescent 2x4, 2x2 or 1x4 fixtures.	\$37.50/fixture	\$50/fixture	
	LED troffer 2x2 retrofit 20W – 55W		\$37.50/fixture	\$50/fixture	
	LED troffer 1X4 retrofit 19W – 77W		\$37.50/fixture	\$50/fixture	
Retrofit kit for LED troffer fixtures	LED troffer retrofit kit 2X4 32W – 67W		\$22.50/fixture	\$30/fixture	
	LED troffer retrofit kit 2X2 22W – 40W		\$22.50/fixture	\$30/fixture	
	LED troffer retrofit kit 1X4 19W – 34W		\$22.50/fixture	\$30/fixture	

Equipment (for interior installations unless noted otherwise)	Specifications	Non-DLC and non-ENERGY STAR rebate/unit	DLC or ENERGY STAR rebate/unit	Qty. =	Rebate
--	----------------	---	--------------------------------	--------	--------

Luminaire-level lighting controls for LED troffers

Rebates are available for sensors permanently integrated into the troffer fixture by the manufacturer to be eligible for this rebate. Luminaire-level lighting controls are not eligible for exterior applications. Add-on sensors, such as wall or ceiling mounted, are rebated through the "standalone automatic control rebates." If the fixture has both an occupancy sensor and photocell, they both must be activated to earn the \$28 per fixture rebate. Rebates are based on total new fixture wattage.

Integral occupancy sensor		\$20/unit			
Integral occupancy and photocell sensor		\$28/unit			
Integral photocell		\$8/unit			

Exterior installations**LED area lighting fixtures**

Rebates are based on one-for-one replacement of HID fixtures with new LED fixtures rated for exterior use. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "Bollard". Rebates are based on total new fixture wattage.

45W – 65W	Replace HID systems	\$75/fixture	\$100/fixture		
66W – 89W		\$93.75/fixture	\$125/fixture		
90W – 119W		\$112.50/fixture	\$150/fixture		
120W – 140W		\$131.25/fixture	\$175/fixture		
141W – 199W		\$150/fixture	\$200/fixture		
200W – 550W		\$187.50/fixture	\$250/fixture		

LED canopy fixtures

Rebates are based on one-for-one replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, "Fuel Pump Canopy Luminaires". Equipment must be hard-wired and is not limited to gas stations installations. Rebates are based on total new fixture wattage. Downlights do not qualify.

25W – 60W	Replace HID systems	\$75/fixture	\$100/fixture		
61W – 150W		\$93.75/fixture	\$125/fixture		

LED parking garage fixtures

Rebates are based on one-for-one replacement of HID parking garage fixtures with new LED parking garage fixtures rated for exterior use. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, "Parking Garage Luminaires". Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. LED retrofit kits are not available for prescriptive rebates, but can be considered in the Custom Efficiency program. Rebates are based on total new fixture wattage.

25W – 60W	Replace HID systems	\$101.25/fixture	\$135/fixture		
61W – 83W	Replace HID systems	\$112.50/fixture	\$150/fixture		

Equipment (for interior installations unless noted otherwise)	Specifications	Non-DLC and non-ENERGY STAR rebate/unit	DLC or ENERGY STAR rebate/unit	Qty. =	Rebate
--	----------------	---	--------------------------------	--------	--------

Luminaire-level lighting controls for LED parking garage fixtures for invoices dated on or after January 1, 2017

Prescriptive rebates are available for sensors permanently integrated into the parking garage fixture by the manufacturer to be eligible for this rebate. Luminaire-level lighting controls are not eligible for exterior applications. Rebates are based on total new fixture wattage.

Integral occupancy sensor		\$20/unit			
---------------------------	--	-----------	--	--	--

LED street lighting fixtures

Rebates are based on one-for-one replacement of HID fixtures with new LED fixtures rated for exterior use. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, "**Outdoor Pole/Arm-Mounted Area and Roadway Luminaire**" or "**Bollard**". Customers must be on an A34 Street Light Rate to qualify for LED Street Lighting rebate. Rebates are based on total new fixture wattage.

30W – 44W	Replace HID systems	\$22.50/fixture	\$30/fixture		
45W – 55W		\$30/fixture	\$40/fixture		
56W – 79W		\$37.50/fixture	\$50/fixture		
80W – 109W		\$56.25/fixture	\$75/fixture		
110W – 139W		\$75/fixture	\$100/fixture		
140W – 209W		\$93.75/fixture	\$125/fixture		

LED wall pack fixtures – Exterior and parking garage installations

Rebates are based on one-for-one replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Rebates are based on total new fixture wattage. Rebates are available for non-DLC and non-ENERGY STAR listed comparable products at 75% of the DLC or ENERGY STAR rebate level. Non-DLC and non-ENERGY STAR products must meet the DLC or ENERGY STAR product eligibility category definition, "**Outdoor Wall-Mounted Area Luminaires**". Rebates are based on total new fixture wattage.

Building exterior	≤ 25W	Replace HID systems. Equipment must be hardwired and rated for exterior use.	\$26.25/fixture	\$35/fixture		
	26W – 60W		\$56.25/fixture	\$75/fixture		
	61W – 150W		\$75/fixture	\$100/fixture		
Parking garage	≤ 25W		\$26.25/fixture	\$35/fixture		
	26W – 60W		\$56.25/fixture	\$75/fixture		
	61W – 150W		\$75/fixture	\$100/fixture		

Subtotal for LED rebates

Standalone automatic control rebate worksheet

Prescriptive rebates are available for the interior equipment listed below. If your project does not fit one of the descriptions below, it may still qualify for a Custom Efficiency rebate. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for Custom Efficiency lighting project review prior to beginning the project.

Equipment (for interior installations unless noted otherwise)	Specifications	Rebate/unit x	Qty. =	Rebate
--	----------------	---------------	--------	--------

Occupancy sensors, photocells and stairwell fixtures

Occupancy sensors may be wall or ceiling mounted; they can be passive infrared, ultrasonic or dual technology sensors. Rebate is based on the type of sensor (wall vs. ceiling mount) as well as the connected load of each sensor. The fixture cannot exceed 35% of full wattage during unoccupied periods. Low mode setting should be chosen so that the surface illumination levels are code compliant. Photocells can only qualify for a rebate when controlling interior fixtures.

Wall mount occupancy sensor	50W – 300W connected load	Rebate level is based on the connected load (watts)/sensor. Must be permanently installed. Controlling interior fixtures only.	\$15/sensor		
	301W or greater		\$25/sensor		
Ceiling or fixture occupancy sensor	50W – 300W connected load	If the combination of occupancy sensor and photocell are used on the same equipment, apply for a rebate through our Custom Efficiency program.	\$30/sensor		
	301W or greater		\$40/sensor		
Photocell			\$25/photocell		

Stairwell fixture with sensor

Bi-level stairwell fixture with integrated sensor	Replace a 2-lamp T8 fixture with a two- to three-lamp T8 fixture or a 20W–30W LED fixture with an integrated occupancy sensor or step-dimming ballast.	\$25/fixture		
DLC or ENERGY STAR rated Bi-level stairwell fixture with integrated sensor		\$75/fixture		
Non-DLC/ENERGY STAR rated Bi-level stairwell fixture with integrated sensor (For invoices dated on or after November 1, 2017)		\$56.25/fixture		

Subtotal for automatic control rebates

Fluorescent rebate worksheet

Equipment (for interior installations unless noted otherwise)	Specifications	Rebate/Unit x	Qty. =	Rebate
--	----------------	---------------	--------	--------

Lighting optimization

Rebates are based on the permanent removal of the equivalent of at least one 4-foot (T8) lamp from an 8-foot or 4-foot fixture as a result of a retrofit. Rebate amount is per fixture, based on the final quantity of lamps installed in each fixture. Reducing the quantity of fixtures does not qualify. In order to qualify, the fixture must be retrofitted such that the existing ballast(s) must be disconnected and removed, a new lamp-quantity appropriate high-efficiency electronic ballast is installed, and the sockets for the eliminated lamps are removed. In addition, the customer may not remove more than 50% of the existing lamp quantity (e.g., replacing a 3-lamp system with a 1-lamp system is not allowed). High-efficiency electronic ballasts are required for all 4-foot T8 optimization rebates. You can find a list of qualified ballasts at cee1.org.

Customer must sign the line below the optimization rebate on page 4 to verify that optimization has occurred. Although Xcel Energy recommends customer follow IES guidelines, the final light levels are the responsibility of the customers.

Lamp removal in T8 systems. <i>Must include high-efficiency electronic ballasts.</i>	per fixture	T8 – T8	\$12/fixture		
---	-------------	---------	--------------	--	--

Optimization statement: The undersigned verifies that there was a permanent removal of lamps, ballasts and sockets in the system being rebated and permission is granted to Xcel Energy to verify the changeout at Xcel Energy's discretion. **Sign here** (required):

Hardwired or modular compact fluorescent fixtures (Does not include screw-base CFLs)**

Rebates are based on one-for-one replacement of incandescent fixtures with new hard-wired (dedicated) or modular fixtures containing pin-based compact fluorescent lamps (CFLs). For fixtures that house more than one lamp, the rebate is based on the total new fixture wattage (i.e., one fixture that houses (2) 18W CFLs would be rebated as (1) 36W CFL fixture.) Screw-base (integral) CFLs do not qualify. Two-foot, low-wattage CFL rebate is paid per lamp.

≤ 18W	Replace incandescent systems with hardwired or modular CFL systems that use three to five times less energy (e.g., a 20W CFL can replace a 60W – 100W incandescent). Does not include screw-base CFLs.	\$2/fixture		
19W – 32W		\$3/fixture		
33W or greater		\$2/fixture		
2-foot low wattage CFL 25W		\$0.50/lamp		

High-bay fluorescent fixtures with high-efficiency electronic ballasts

Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 175W to 1000W. Rebates are available for T8, T8VHO systems or T5HO systems as shown on page 3 of this application. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 4-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.

2-lamp T5HO, 3-lamp T5HO, 4-lamp T8	Replace HID 175W – 250W lamp systems	\$35/fixture		
3-lamp T8VHO, 4- to 6-lamp T5HO, 6- to 8-lamp T8	Replace HID 310W – 400W lamp systems	\$50/fixture		
6-lamp T8VHO, 8-lamp T5HO, 12- to 16-lamp T8	Replace HID 750W lamp systems	\$80/fixture		
8-lamp T8VHO, 10-lamp T5HO, 18- to 20-lamp T8	Replace HID 1000W lamp systems	\$100/fixture		
<i>Must include high-efficiency electronic ballasts.</i>				

Low-wattage fluorescent T8 lamps

Rebates are based on replacing 32W T8 lamps with 28W or 25W lamps.

4 foot; ≤ 28W	per lamp	Replace 32W T8 lamp	\$0.50/lamp		
---------------	----------	---------------------	-------------	--	--

Parking garage fluorescent fixtures with high-efficiency electronic ballasts

Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 150W to 175W.

Rebates are available for T8 or T5HO systems. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 3-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.

4 foot	2-and 3-lamp	Replace HID* systems (150W - 175W) with T5HO or T8. <i>Must include high-efficiency electronic ballasts.</i>	\$50/fixture		
--------	--------------	---	--------------	--	--

Parking garage low-wattage fluorescent T8 lamps

Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 150W to 175W.

Rebates are available for T8 or T5HO systems. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 4-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.

4 foot, ≤ 28W	per lamp	Replace 32W T8 lamp	\$0.50/lamp		
---------------	----------	---------------------	-------------	--	--

Subtotal for fluorescent rebates

Removed lighting	Fixture qty.
Fluorescent T8 – 4-foot 32W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Ballast factor _____	1-lamp 2-lamp 3-lamp 4-lamp
Fluorescent T8 lamp <input type="checkbox"/> 2-foot lamp <input type="checkbox"/> 4 foot lamp <input type="checkbox"/> Linear <input type="checkbox"/> U-bend Ballast factor _____ Wattage per lamp _____	
Fluorescent 4-Pin lamp Wattage per lamp _____	

Removed lighting	Fixture qty.
Fluorescent T8 – 4-foot 32W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Ballast factor _____	1-lamp 2-lamp 3-lamp 4-lamp
Fluorescent T8 lamp <input type="checkbox"/> 2-foot lamp <input type="checkbox"/> 4 foot lamp <input type="checkbox"/> Linear <input type="checkbox"/> U-bend Ballast factor _____ Wattage per lamp _____	
Fluorescent 4-Pin lamp Wattage per lamp _____	

Newly installed high-efficiency lighting	Fixture qty.
Fluorescent T8 – 4 foot 32W Must have high-efficiency electronic ballasts. Ballast factor _____ Ballast make/model no. _____	1-lamp 2-lamp 3-lamp 4-lamp
Low-wattage T8 lamp – 4-foot 28W Ballast factor _____	
Low-wattage T8 lamp – 4-foot 25W Ballast factor _____	
High-bay and parking garage fluorescent (Please indicate the number of lamps in the first box to the right.) Ballast factor _____ Ballast make/model no. _____ Must have high-efficiency electronic ballasts.	T8 T8 T8VH0 T5H0 T5H0
LED replacement for pin-based CFL lamps (DLC QPL required) Wattage per lamp _____	
LED troffer (DLC QPL required) Wattage per fixture _____	
LED troffer retrofit kit (DLC QPL required) Wattage per kit _____	
Luminaire-level lighting controls for LED troffer fixtures Sensor type <input type="checkbox"/> Integral occ sensor <input type="checkbox"/> Integral photo sensor <input type="checkbox"/> Integral occ sensor and photo sensor	
LED linear replacement lamps Replacement lamps (UL Type A) <input type="checkbox"/> Linear <input type="checkbox"/> U-bend Ballast factor _____ Wattage per lamp _____	2-foot 4-foot
Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B) Wattage per lamp _____	4-foot
External-driver lamp style retrofit kits (UL Type C) Wattage per lamp _____	2-foot 4-foot
Bi-level stairwell fixture <input type="checkbox"/> T8: Number of lamps _____ Length of lamps _____ <input type="checkbox"/> On/off or <input type="checkbox"/> Dimming <input type="checkbox"/> LED: Fixture wattage _____ Percent dimming _____	

Incandescent	Wattage per lamp _____ Number of lamps _____	
Incandescent	Wattage per lamp _____ Number of lamps _____	
Fluorescent	Wattage per lamp _____ Number of lamps _____	
2' 40W CFL	Number of lamps _____	

Hardwired or modular CFL fixtures 18W or less	Wattage per fixture _____	
Hardwired or modular CFL fixtures 19W – 32W	Wattage per fixture _____	
Hardwired or modular CFL fixtures 33W or greater	Wattage per fixture _____	
2-foot Low Wattage CFL 25W - 32W	Wattage per lamp _____	
ENERGY STAR-qualified interior LED downlight luminaires	Wattage per fixture _____	

High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	

High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
Exterior LED fuel pump canopy fixtures (DLC QPL required)	Wattage per fixture _____
Exterior LED wall pack fixtures (DLC QPL required)	Wattage per fixture _____
LED parking garage fixture (DLC QPL required)	Wattage per fixture _____
Luminaire-level lighting controls for LED parking garage fixture	Integral occ sensor
LED area lighting (DLC QPL required)	Wattage per fixture _____
LED street lighting (DLC QPL required)	Wattage per fixture _____
LED high bay fixture	Wattage per fixture _____
LED high bay retrofit kit	Wattage per kit _____
LED mogul screw-base replacements for HID lamps	Wattage per lamp _____

Incandescent exit signs	Wattage _____
-------------------------	---------------

<input type="checkbox"/> LED exit signs <input type="checkbox"/> LEC exit signs	
---	--

Fluorescent case lighting <input type="checkbox"/> 5-foot <input type="checkbox"/> 6-foot <input type="checkbox"/> Cooler case <input type="checkbox"/> Freezer <input type="checkbox"/> T8 <input type="checkbox"/> T12 Wattage/door _____	
---	--

LED case lighting (DLC QPL required)	Wattage per door _____
Luminaire-level lighting controls for LED case lighting 5- and 6-foot doors	Integral occ sensor

Occupancy sensor information

Connected load 1 Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____ Connected load on each sensor: Fixture quantity _____ Fixture type (i.e. LED, T8, etc.) _____ Fixture wattage _____	Connected load 2 Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____ Connected load on each sensor: Fixture quantity _____ Fixture type (i.e. LED, T8, etc.) _____ Fixture wattage _____	Connected load 3 Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____ Connected load on each sensor: Fixture quantity _____ Fixture type (i.e. LED, T8, etc.) _____ Fixture wattage _____
---	---	---

How to apply

1. Rebate application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

3. Specifications (if applicable)

Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified and products that are comparable but not DLC or ENERGY STAR listed. Because LED products have become more prevalent and the overall quality has improved, Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. These new tiered rebates are available starting November 1, 2017. Invoices must be dated on or after November 1, 2017 to earn the non-DLC and non-ENERGY STAR reduced rebate amount. You must include a screenshot of the product's listing on the applicable website showing details.

ENERGY STAR and DesignLights Consortium qualified product lists

Xcel Energy requires that all LED products to be listed on either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) to earn a prescriptive rebate. Prescriptive products that are not listed on the DLC QPL can be evaluated under the Custom Efficiency program.

The DLC promotes quality, performance and energy-efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. **For the technical requirements to be listed on the DLC QPL, please visit this website: <https://www.designlights.org>.**

ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty. Visit energystar.gov/products to search for qualified commercial products.

4. Submittal

Please submit forms to your account manager (if applicable). If you do not have an Xcel Energy account manager, please email your forms to: energyefficiency@xcelenergy.com (preferred), or fax to 800.311.0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and requirements

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying lighting equipment in your existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for custom lighting project review prior to beginning the project.

Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check the Xcel Energy website (xcelenergy.com) to verify eligibility. Residential customers—please contact Xcel Energy at 800.895.4999 to learn about our residential energy efficiency programs.

Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- These rebates assume a one-for-one replacement of fixtures (in retrofit situations) that will result in energy savings.
- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 12 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please talk with your account manager or call our Business Solutions Center at 855.839.8862 for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that you didn't comply with program rules and standards, any rebate you have received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with their account manager or call our Business Solutions Center at 855.839.8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize your participation in this program, unless you specifically request otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at iesna.org.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. You can find the list of participating retailers at xcelenergy.com/BulbFinder.

Warranty information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.