

Minnesota



# Lighting Retrofit Rebate Application

## Lighting Efficiency

PROMO CODE \_\_\_\_\_

OID \_\_\_\_\_  
Internal use only

### Customer information

Xcel Energy premises numbers: electric: \_\_\_\_\_ and/or gas: \_\_\_\_\_

Company name \_\_\_\_\_ Date submitted \_\_\_\_\_

Installation address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Mailing address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_  
(For rebate if different from installation address)

Contact name (print) \_\_\_\_\_ Phone \_\_\_\_\_

Contact email\* \_\_\_\_\_ Fax \_\_\_\_\_

Equipment location description (required)

The total project cost: \$ \_\_\_\_\_  
(Acceptable expenses include equipment and labor and do not include tax, freight or shipping costs.)

Customer signature \_\_\_\_\_ Date \_\_\_\_\_

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the terms and conditions on page 2 of this application.

### Alternative rebate recipient

**Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.**

Company name \_\_\_\_\_ Contact name \_\_\_\_\_

Address \_\_\_\_\_ Phone \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

I authorize the above company to receive the rebate check for this project.

Customer signature \_\_\_\_\_ Date \_\_\_\_\_

Xcel Energy account representative name \_\_\_\_\_ Signature \_\_\_\_\_

### Trade partner information (vendor/contractor information)

Company name \_\_\_\_\_ Trade partner ID# \_\_\_\_\_

Contact name (print) \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Contact email\* \_\_\_\_\_ Phone \_\_\_\_\_

\*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

### Facility characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? Air conditioned Heat only No air conditioning or heat

Please indicate the primary use for this location:

24-hour facility	Healthcare office/out-patient	Office
Big box retail/grocery	Hospital	Restaurant
College/university	Hotel/motel	Retail
Continuous lighting required by code	Manufacturing	Warehouse
Elementary/secondary school	Nighttime/exterior LED fixtures	Other _____

### INTERIOR INSTALLATIONS

New equipment	Existing equipment specifications	Non-ENERGY STAR <sup>®</sup> rebate/unit	ENERGY STAR rebate/unit	Qty. =	Rebate
<b>LED downlight fixtures</b>					
Rebates are based on one-for-one new full fixture replacements with commercial LED hardwired and downlight luminaires. Non-ENERGY STAR <sup>®</sup> products must meet ENERGY STAR product eligibility category definition, certified "Downlight" (recessed, surface mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.					
8W–25W	Replace incandescent systems	\$26.25/fixture	\$35/fixture		
26W–50W		\$37.50/fixture	\$50/fixture		
8W–25W	Replace compact fluorescent systems	\$18.75/fixture	\$25/fixture		
26W–50W		\$26.25/fixture	\$35/fixture		

<b>LED screw-in or pin-based lamps and LED retrofit kits for downlights</b>					
A-lamp, PAR, BR, R, MR, Decorative lamps	Select screw-in and pin-based LED lamps and LED downlight solid state retrofit kits are eligible for instant rebates at time of purchase from participating distributors. For more information, visit <a href="http://xcelenergy.com/LightingEfficiency">xcelenergy.com/LightingEfficiency</a> , under the Lighting Efficiency program section, or visit <a href="http://businessledinstantrebate.com/Locator/Distributors">businessledinstantrebate.com/Locator/Distributors</a> to find a distributor near you.				
LED retrofit kit for downlights					

New equipment	Existing equipment specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
<b>LED direct linear ambient fixtures</b>					
Rebates are based on one-for-one replacement of T5, T8 and T12 fluorescent ambient fixtures with new LED direct Linear Ambient fixtures. The non-DLC products must meet the DLC product eligibility category definition. <i>Rebates are based on total fixture wattage.</i>					
LED direct linear ambient 10W-35W	Replace T5, T8, T12 fluorescent linear ambient fixtures	\$15/fixture	\$20/fixture		
LED direct linear ambient 36W-60W		\$18.75/fixture	\$25/fixture		
LED direct linear ambient 61W-100W		\$28.50/fixture	\$38/fixture		

<b>LED exit signs</b>					
Rebates are based on one-for-one replacement of incandescent exit signs to LED exit signs. LED exit signs do not need to follow the DLC requirement (until further notice).					
LED exit signs	Replace incandescent exit signs	\$25/sign			

<b>LED high/low bay fixtures and retrofit kits</b>						
Rebates are based on one-for-one replacement of HID or fluorescent high/low/aisle bay fixtures with new LED high/low-aisle bay fixtures and retrofit kits. Non-DLC products must meet the DLC product eligibility category definition, "High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings, Retrofit Kits High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings", to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. <i>High Bay luminaires must include a permanent LED array of diodes. Fixtures with pin-based tubes are not eligible for this rebate, but are eligible for the rebate offered for linear tubes. Rebates for high/low bay fixtures 75W–94W are available for invoices dated on or after March 1, 2020.</i>						
LED high/low bay fixtures	74W–94W	Replace HID or fluorescent T12, T8, T5 fixtures	\$37.50/fixture	\$50/fixture		
	95W–189W		\$101.25/fixture	\$135/fixture		
	190W–290W		\$112.50/fixture	\$150/fixture		
	291W–464W		\$150/fixture	\$200/fixture		
	465W–625W		\$187.50/fixture	\$250/fixture		
Retrofit kit for LED high/low bay fixtures	74W–94W		\$22.50/fixture	\$30/fixture		
	95W–189W		\$30/fixture	\$40/fixture		
	190W–290W		\$37.50/fixture	\$50/fixture		
	291W–464W		\$60/fixture	\$80/fixture		
	465W–625W		\$120/fixture	\$160/fixture		

<b>LED linear tubes</b>					
Rebates are based on one-for-one replacement of fluorescent T5, T8 or T12 lamps with new LED linear lamps. Non-installed Type A and Type B lamps purchased in cases can qualify for rebates as long as they are stored on the customer's premises. Non-DLC products must meet the DLC product eligibility category definition "Replacement Lamps (plug and play) (UL Type A)", "Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B)" and "External - driver lamp-style retrofit kits (UL Type C)". Replacement lamps listed on the DLC QPL as "Dual Mode Internal Driver lamps (UL Type A/B) are also allowed and the rebate amount is dependent upon the type of installation. LED linear replacement lamps installed in new construction must be submitted through the Custom Efficiency program. See DLC replacement lamps page for more detail on testing requirements. Rebates are based on new lamp nominal wattage, and pertain to 2' and 4' lamp lengths. 8' lamp lengths should be submitted as two 4' lamp lengths.					
T5 and T8 LED linear tubes – Type A	Replace T5, T8, T12 fluorescent lamps	\$1.50/lamp	\$2/lamp		
T5 and T8 LED linear tubes – Type B		\$2.25/lamp	\$3/lamp		
T5 and T8 LED linear tubes – Type C		\$3.75/lamp	\$5/lamp		

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

### INTERIOR INSTALLATIONS (CONTINUED)

New equipment	Existing equipment specifications	Non-DLC * rebate/unit	DLC rebate/unit	Qty. =	Rebate	
<b>LED mogul screw-base lamps</b> Rebates are based on one-for-one replacement of interior HID mogul-based screw-in lamps with new LED mogul screw base lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the premise. Non-DLC products must meet the DLC product eligibility category definition "mogul screw-base replacements for HID lamps for high/low-bay luminaires (internal driver/UL type B)." UL type C lamps do not qualify for prescriptive rebates but can be considered in the Custom Efficiency program. New lamps must be interior installations, exterior lighting does not qualify but can be considered for a rebate in the Custom Efficiency program.						
LED mogul screw-base lamps	30W–39W	Replace HID lamps	\$22.50/lamp	\$30/lamp		
	40W–49W		\$30/lamp	\$40/lamp		
	50W–79W		\$37.50/lamp	\$50/lamp		
	80W–119W		\$45/lamp	\$60/lamp		
	120W–144W		\$56.25/lamp	\$75/lamp		
	145W–230W		\$56.25/lamp	\$75/lamp		
<b>LED refrigerated case lighting</b> Rebates are based on replacement of T12 or T8 linear 5- to 6-foot fluorescent refrigerated case door lighting with new 5- to 6-foot LED refrigerated case door strip lighting. Non-DLC products must meet the DLC product eligibility category definition "Vertical Refrigerated Case Luminaires." Category covers only complete luminaires, with all necessary components. <i>Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate.</i>						
5- or 6-foot doors	Replace fluorescent T8 or T12 systems	\$33.75/door	\$45/door			
<b>LED replacement for pin-based CFL lamps</b> Rebates are based on one-for-one replacement of CFL 2 or 4 pin lamps. Includes G24q- and GX24q-base LED lamps. Non-installed lamps purchased in cases can qualify for rebates as long as they are stored on the premise. Non-DLC products must meet the DLC product eligibility category definition, "LED Replacement for Pin-Based CFL Lamps (UL Type A)". UL Type B pin based lamps are available for invoices dated on or after March 1, 2020.						
LED 2-pin or 4-pin lamps, 5W-21W	Replace CFL 2 or 4-pin lamps	\$5.25/lamp	\$7/lamp			
<b>LED stairwell fixtures</b> Rebates are based on one-for-one replacement of a T12, T8, T5, HID, or CFL with a 20W-60W LED stairwell fixture. Stairwell fixtures do not need to have an integrated occupancy or step dimming ballast to be eligible for the prescriptive, stairwell rebate. Instead customers can receive separate rebates for the controls portion of the fixture through the new standalone controls rebates. Non-DLC products must meet the DLC product eligibility category definition, " <b>Stairwell/passageway luminaires</b> ".						
20W–60W	Replace T5, T8 and T12 HID or CFL systems	\$30/fixture	\$40/fixture			
<b>LED troffer fixtures and retrofit kit</b> Rebates are based on one-for-one replacement of fluorescent T12, T8 or T5 fixtures with new LED troffer fixtures or retrofit kits. Non-DLC products must meet the DLC product eligibility category definition, "1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces" and "integrated-style retrofit kits for 1x4, 2x2" and "linear-style retrofit kits for 2x2, 1x4, and 2x4 luminaires for ambient lighting of interior commercial spaces". <i>Rebates are based on total new fixture wattage.</i>						
LED troffer fixtures and retrofit kit for LED troffer fixtures	10–100W Replace fluorescent T12, T8 and T5 troffer fixtures	\$22.50/fixture	\$30/fixture			

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

### EXTERIOR INSTALLATIONS

New equipment	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate	
<b>LED canopy fixtures</b>					
Rebates are based on one-for-one replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Fuel Pump Canopy Luminaires". Equipment must be hard-wired and is not limited to gas stations installations. Rebates are based on total new fixture wattage. <i>Downlights do not qualify.</i>					
25W–60W	\$15/fixture	\$20/fixture			
61W–150W	\$18.75/fixture	\$25/fixture			
<b>LED parking garage fixtures</b>					
Rebates are based on one-for-one replacement of HID parking garage fixtures with new LED parking garage fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Parking Garage Luminaires". Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. LED retrofit kits are not available for prescriptive rebates, but can be considered in the Custom Efficiency program. <i>Rebates are based on total new fixture wattage.</i>					
25W–60W	\$86.25/fixture	\$115/fixture			
61W–83W	\$93.75/fixture	\$125/fixture			
<b>LED street and area lighting fixtures</b>					
Rebates are based on one-for-one replacement of HID fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "Bollard". Customers must be on an A34 Street Light Rate to qualify for LED Street Lighting rebate. <i>Rebates are based on total new fixture wattage.</i>					
Street lighting	30W–44W	\$11.25/fixture	\$15/fixture		
	45W–54W	\$18.75/fixture	\$25/fixture		
	55W–79W	\$18.75/fixture	\$25/fixture		
	80W–109W	\$18.75/fixture	\$25/fixture		
	110W–139W	\$30/fixture	\$40/fixture		
	140W–209W	\$37.50/fixture	\$50/fixture		
Area lighting	45W–65W	\$26.25/fixture	\$35/fixture		
	66W–89W	\$26.25/fixture	\$35/fixture		
	90W–119W	\$30/fixture	\$40/fixture		
	120W–140W	\$37.50/fixture	\$50/fixture		
	141W–199W	\$45/fixture	\$60/fixture		
	200W–550W	\$67.50/fixture	\$90/fixture		
<b>LED wall pack fixtures – exterior and parking garage installations</b>					
Rebates are based on one-for-one replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, "Outdoor Wall-Mounted Area Luminaires". <i>Rebates are based on total new fixture wattage.</i>					
Building exterior	10W–25W	\$11.25/fixture	\$15/fixture		
	26W–60W	\$22.50/fixture	\$30/fixture		
	61W–150W	\$37.50/fixture	\$50/fixture		
Parking garage	10W–25W	\$22.50/fixture	\$30/fixture		
	26W–60W	\$45/fixture	\$60/fixture		
	61W–150W	\$56.25/fixture	\$75/fixture		

**Subtotal for LED rebates**

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

### STANDALONE AND NETWORKED LIGHTING CONTROLS

Lighting control rebates are available for LED interior retrofit and parking garage retrofit fixtures. Rebates pertain to any new LED fixture that is rebated through the program. Control rebates are in addition to fixture rebates.

New equipment	Specifications	Rebate/ watt	Qty. watts Connected	Rebate
<b>Standalone lighting controls</b>				
Rebates are based on the amount of watts controlled by the sensor. To earn a standalone lighting control rebate, the fixture cannot exceed 35% of full wattage during unoccupied periods. The low mode setting should be chosen so that the surface illumination levels are code compliant. The occupancy and/or photocell controls must be permanently mounted to a wall, ceiling or integrally into the fixture. Standalone controls must function independently, not as part of a Networked Lighting Control system.				
Occupancy sensor	Adjusts light levels according to the presence of occupants	\$0.05/watt		
Daylighting (photocell) sensor	Adjusts light levels automatically in response to the presence of natural light	\$0.10/watt		
Occupancy and daylighting (photocell) sensor	Performs functions of both	\$0.15/watt		
<b>Networked lighting controls</b>				
Rebates are based on the amount of watts controlled by the system. Rebates are available for networked lighting control equipment that meet the following system requirements: (1) Design Lights Consortium (DLC) Qualified: Control equipment must be on the DLC Qualified Product List (QPL) <a href="http://designlights.org/lighting-controls/download-the-qpl/">designlights.org/lighting-controls/download-the-qpl/</a> ; (2) High End Trim: Required, 80% or lower; (3) Daylighting: Must be deployed where side and top lighting is available as defined in IECC 2015, <a href="http://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency">codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency</a> ; (4) Occupancy sensing: Controls configured in occupancy or vacancy mode with timeout set to 20 minutes or less. (5) Commissioning: Project has been commissioned to comply with the above requirements 1–4. Networked lighting control systems with additional capabilities may be eligible for increased rebates through the Advanced Lighting Controls Custom offering. (6) Controlled fixtures must be LED, either retrofit in conjunction with the controls installation or installed within the past five (5) years. Specification sheets and invoices for connected LED fixtures must be provided to verify the controlled wattage.				
Networked Lighting Control (NLC)		\$0.40/watt		
*I certify the six (6) networked lighting controls requirements listed above are met, the system has been commissioned, and working as designed.				
<b>Commissioning agent information</b> (commissioning agent is the programmer of the NLC system)				
Company name _____				
Agent name _____				
Agent signature _____ Date _____				

**Subtotal for standalone and networked control rebates**

\*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at [designlights.org/QPL](http://designlights.org/QPL). The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

Removed lighting	Fixture qty.
Baseline lamp type: T5      T8      T12  Baseline lamp wattage _____ Lamps per fixture _____  Ballast factor: HBF      NBF      LBF	
Baseline lamp type: T5      T8      T12  Baseline lamp wattage _____ Lamps per fixture _____  Ballast factor: HBF      NBF      LBF	

Removed lighting	Lamp qty.
Fluorescent      T12      T8      T5 2-foot lamp      4-foot lamp Linear      U-bend  Ballast factor _____ Wattage per lamp _____	

Fluorescent      T12      T8      T5 2-foot lamp      4-foot lamp Linear      U-bend  Ballast factor _____ Wattage per lamp _____	
Pin-based, 2- or 4-pin lamp Wattage per lamp _____	

Installed high-efficiency lighting	Fixture qty.
LED bi-level stairwell fixture      Fixture wattage _____	
LED troffer Troffer      Retrofit Fixture wattage _____      Fixture lumens _____	
Direct linear ambient Fixture wattage _____      Fixture lumens _____	

Installed high-efficiency lighting	Fixture qty.	
LED linear replacement lamps	Replacement lamps (UL type A) Linear      U-bend Ballast factor _____ Nominal wattage per lamp _____	2-foot
		4-foot
	Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B) Nominal wattage per lamp _____	4-foot
	External-driver lamp style retrofit kits (UL Type C) Wattage per lamp _____	2-foot
		4-foot
LED replacement for pin-based CFL lamps      Nominal wattage per lamp _____		

Removed lighting	Fixture qty.
Incandescent      Wattage per lamp _____ Number of lamps _____	
Incandescent      Wattage per lamp _____ Number of lamps _____	
Compact fluorescent      Wattage per lamp _____ Number of lamps _____	

Installed high-efficiency lighting	Fixture qty.
Interior LED downlight luminaires      Wattage per fixture _____	

Removed lighting	Fixture qty.
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-intensity discharge (HID) High-pressure sodium      Mercury vapor Metal halide                  Pulse-start metal halide Magnetic ballast              Electronic ballast Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	

Installed high-efficiency lighting	Fixture qty.
Exterior LED fuel pump canopy fixtures	Wattage per fixture _____
Exterior LED wall pack fixtures	Wattage per fixture _____
LED parking garage fixture	Wattage per fixture _____
Exterior LED area lighting	Wattage per fixture _____
Exterior LED street lighting	Wattage per fixture _____
Interior LED high bay fixture	Wattage per fixture _____
Interior LED high bay retrofit kit	Wattage per fixture _____
Interior LED mogul screw-base replacements for HID lamps	Wattage per fixture _____

Removed lighting	Fixture qty.
High bay baseline lamp type: T5      T8      T12 Baseline lamp wattage _____ Lamps per fixture _____ Ballast factor: HBF      NBF      LBF	

Removed lighting	Fixture qty.
Incandescent exit signs	Wattage _____
Fluorescent case lighting 5-foot 6-foot Cooler case Freezer case T8 T12	Wattage/door _____

Installed high-efficiency lighting	Fixture qty.
LED exit signs      LEC exit signs	
LED case lighting	Wattage per door _____

**Standalone and Networked Lighting Controls**

Sensor type			
Occupancy sensor	Daylighting (photocell) sensor	Occupancy and daylighting (photocell) sensor	Networked Lighting Control
Number of fixtures _____		Connected watts _____	

Sensor type			
Occupancy sensor	Daylighting (photocell) sensor	Occupancy and daylighting (photocell) sensor	Networked Lighting Control
Number of fixtures _____		Connected watts _____	





## How to apply

### 1. Rebate application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

### 2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

### 3. Specifications (if applicable)

Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified and products that are comparable but not DLC or ENERGY STAR listed. Because LED products have become more prevalent and the overall quality has improved, Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. You must include a screenshot of the product's listing on the applicable website showing details.

### ENERGY STAR and DesignLights Consortium qualified product lists

For the technical requirements listed on the DLC QPL, please visit this website: [designlights.org](http://designlights.org). Visit [energystar.gov/products](http://energystar.gov/products) to search for qualified commercial products.

### 4. Submittal

Please submit forms to an account manager (if applicable). If there is not an Xcel Energy account manager on the account, please email forms to: [energyefficiency@xcelenergy.com](mailto:energyefficiency@xcelenergy.com) (preferred), or fax to 800.311.0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

## Rules and requirements

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying lighting equipment in an existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for custom lighting project review prior to beginning the project.

### Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check the Xcel Energy website ([xcelenergy.com](http://xcelenergy.com)) to verify eligibility. Residential customers — please contact Xcel Energy at 800.895.4999 to learn about our residential energy efficiency programs.

### Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- Retrofit projects that are not a one-for-one replacement may be submitted through the prescriptive program if the baseline fixtures are reduced by less than 50%. If the retrofit project reduces fixtures by more than 50%, the project will need to be analyzed through the Custom program.
- Customers who purchase lights in bulk can earn rebates on select LED lamps (listed below) for stocking purpose. Lamps in storage **MUST** remain on the premises.
  - LED Linear tubes Type A and Type B
  - LED mogul screw-based lamps
  - LED 2 pin and 4 pin lamps

- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 12 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please contact an account manager or call our Business Solutions Center at 855.839.8862 for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Qualifying LED lighting technology will be eligible if the wattage falls within +/- 10 percent of the lowest and highest wattage level for the rebated product. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that the project does not comply with program rules and standards, any rebate received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with an account manager or call the Business Solutions Center at 855.839.8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize participation in this program, unless specifically requested otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at [iesna.org](http://iesna.org).
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. Find a list of participating retailers at [xcelenergy.com/BulbFinder](http://xcelenergy.com/BulbFinder).

## Warranty information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.