Application Last updated: April 1, 2022

New Mexico

Clear form



Lighting Efficiency Lighting Retrofit Rebate Application

For a free lighting assessment and information about free LEDs, please call **575-208-7405**.

Opportunity ID_

Business custom	er information				
Company name			Da	nte submitted	
Installation address _		City		State	ZIP
	erent)				
Contact name		Phone	Email		
	you do not want to receive emails fr				
0, 1	oremises numberthis application is correct and request consid				
Customer signature _			Da	nte	
complete and operations	es that: 1. the customer, and not Xcel End al prior to submitting rebate; and 3. all ru pose no liability on Xcel Energy. In parti	ules of this Xcel Energy program have be	en followed. Further, the custo	mer acknowledges tl	nat participation in this
Xcel Energy account r	manager	Date	Email		@xcelenergy.com
Alternate rebate	recipient				
Note: Complete this s	section only if the customer wants t	he rebate check to go to someone o	ther than the company tied	to the account nun	nber.
Company name					
Contact name			Pr	none	
	any to receive the rebate check for this proje	,		State	ZIP
Customer signature _			Da	nte	
Contractor inform	nation				
Company name		Trade Par	tner ID#		
Contact name					
Address		City		State	ZIP
	address, you are granting Xcel Energy permis		_		
Check this box it y	you want to receive emails from Xce	el Energy regarding our programs ar	nd services.		
Facility characte	ristics				
	tioned where the energy-efficient li	ghting will be installed? Air co	onditioned Heat only	☐ No air co	nditioning or heat
•	rimary use for this location:				
Office	☐ Big box retail/grocery	Healthcare office/o	out-patient Manu Warel	facturing	
Restaurant Retail	☐ Elementary/secondary scho☐ College/university	ol Hospital Hotel/motel			canopy/soffit lights only)
Other/misc.	Outloge/university	Hotel/motel		LITTIC CATOTTOT (EED C	canopy, sorne ngmes omy,
Does your facility hav	ve a garage?	Does the	lighting in this facility opera	ate 24 hours a day?	☐ Yes ☐ No
New payment op	tions				
	on (if no option is chosen, the rebate	e will default to a check)			
Check (rehate che	ack will be mailed)	☐ Bill credit (rehate will be appli	ied as a credit to the Ycel Fr	neray account)	

Page 1 of 9 22-03-537

Direct deposit (ACH Payments are available to customers with Auto Pay enrolled in My Account)

New Equipment

New Mexico

LED rebate worksheet

Interior installations

Prescriptive rebates are available for the interior and specified exterior equipment listed below. Rebates are based on total fixture wattage. If the fixture is within+ or -10% of the rebate wattage category, the fixture can qualify for a prescriptive rebate. If not, then it could be eligible for a custom rebate. If the project does not fit one of the descriptions below. It may still qualify for rebates. Xcel Energy offers a tiered rebate level for products that are either Designlights Consortium (DLC) Qualified Product Lists (OPL) or ENERGY STAR®- qualified and products that are comparable but not DLC or ENERGY STAR listed. Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified.* Refer to the LED Rebate Guide to see which DLC eligible products are within each category. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855-839-8862 for custom lighting project review prior to beginning the project.

Existing Equipment Specifications

Non-ENERGY STAR*

\$101.25/fixture

\$112.50/fixture

\$150/fixture

\$187.50/fixture

\$135/fixture

\$150/fixture

\$200/fixture

\$250/fixture

ENERGY STAR

ivew Equipment	Existing Equipment Specifications	rebate/unit	rebate/unit	Gty. =	nevale
	ture replacements with commercial LED hardwired and sc inition, certified "Downlight" (recessed, surface mou n				
8W–25W	Incords seent and IIID systems	\$15/fixture	\$20/fixture		
26W-50W	Incandescent and HID systems	\$26.25/fixture	\$35/fixture		
0W-25W	Fluores and supplies	\$11.25/fixture	\$15/fixture		
26W-50W	Fluorescent systems	\$20/fixture	\$25/fixture		
'LED retrofit kit for downlights'' . 25Wor less	Incandescent systems	\$7.50/fixture	\$10/fixture		
New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
	scent exit signs to LED or LEC exit signs. LED exit signs do		C requirement (until fu	ırther notice).	
LED and LEC exit signs	Incandescent exit signs	\$25/fixture			
DLC product eligibility category definition, "Hi Kits High-Bay Luminaires/High-Bay Aislo	nt of HID high/low/aisle bay fixtures with new LED high/lo igh-Bay Luminaires/High-Bay Aisle Luminaires/Low e Luminaires/Low-Bay Luminaires for Commercial a ttage is in question, please reference the DLC listed watta	v-Bay Luminaires for Co and Industrial Buildings"	mmercial and Indus to qualify for the pre	strial Buildin escriptive reba	n gs, Retro ate. Rebate
75W-94W		For invoices dated on or \$56.25/fixture	after April 1, 2020 \$75/fixture		

LED linear replacement lamps

High/low bay fixtures

95W-189W

190W-290W

291W-464W

465W-625W

Rebates are based on one-for-one replacement of fluorescent T8 or T12 lamps with new LED linear replacements lamps. Non-DLC products and must meet the DLC product eligibility category definition "Replacement Lamps (plug and play) (UL Type A)" and "External - driver lamp-style retrofit kits (UL Type C)". Replacement lamps listed on the DLC OPL as "Dual Mode Internal Driver lamps (UL Type A/8) are also allowed and will be rebated as UL Type A. LED linear replacement lamps installed in new construction must also be submitted through the Custom Efficiency program. See DLC replacement lamps page for more detail on testing requirements. Rebates are based on total new lamp wattage.

HID fixture or Fluorescent T12, T8, T5 fixtures

LED linear tube — UL Type A 4 foot		\$1.50/lamp	\$2/lamp	
LED linear tube – UL Type B 4 foot	Fluorescent T12, T8, T5 fixtures	\$2.25/lamp	\$3/lamp	
LED linear tube – UL Type C 4 foot		\$3.75/lamp	\$5/lamp	

Page 2 of 9 22-03-537

New Mexico

		Interior installations (conti	nued)			
New Equipme	ent	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
product eligibility category definit	replacement of interior	s r HID mogul-based screw-in lamps with new LEE ase replacements for HID lamps for high/lov in the Custom Efficiency program. Rebates are b	w-bay luminaires (inter	nal driver/UL type B		
			For invoices dated on or	after April 1, 2020		
	30W-39W		\$7.50/lamp	\$10/lamp		
	40W-49W		\$11.25/lamp	\$15/lamp		
LED mogul	50W-79W	IIID lampa	\$15/lamp	\$20/lamp		
screw-base type B lamps	80W-119W	HID lamps	\$18.75/lamp	\$25/lamp		
	120W-144W		\$22.50/lamp	\$30/lamp		
	145W-230W		\$26.50/lamp	\$35/lamp		
Non-DLC products and must meet	t of T12 or T8 linear 5- the DLC product eligib re per door, not per lar	to 6-foot fluorescent refrigerated case door light ility category definition "Vertical Refrigerated np. Linear LED tube lights do not qualify for this r Fluorescent T8 or T12 systems with LED case lighting	Case Luminaires." Cate	egory covers only com	nplete lumina	aires, with all
	replacement of CFL 2	or 4 pin lamps. Non-DLC products and must meet Design Lab QPL. UL Type B pin-based lamps do				
LED 2-pin or 4-pin lamps, 5W—21V	V	CFL 2 or 4 pin lamps	\$5.25/lamp	\$7/lamp		
LED screw-in lamps Replace incandescent lamps with LE	D lamps. Non-ENERGY S	TAR products and must meet the ENERGY STAR pro	duct eligibility category defir	nition, LED screw-in a	ınd pin-base	ed lamps.
			For invoices dated on or	after April 1, 2020		
1W-5W			\$2.25/lamp	\$3/lamp		
6W-10W		Incandescent systems	\$5.25/lamp	\$7/lamp		
11W-20W			\$7.25/lamp	\$10/lamp		
		or CFL with a 20W-60W LED stairwell fixture. Cun- n- DLC products must meet the DLC product eligii				
			For invoices dated on or b	efore March 31, 2020		
Bi-level stairwell fixture with inte	grated sensor	Replace a 2-lamp T8 fixture with a 2–3 lamp T8 fixture or a 20W–30W LED fixture with an integrated occupancy sensor or step-dimming ballast.	\$56.25/fixture	\$75/fixture		
			For invoices dated on o	after April 1, 2020		
Stairwell fixture			\$30/fixture	\$40/fixture		
eligibility category definition, "1x 4	4, 2x2, and 2x4 Lumin t lighting of interior	scent T12 or T8 fixtures with new LED troffer fixt naires for Ambient Lighting of Interior Comm commercial spaces". Linear ambient (or "strip" ed on total new fixture wattage.	nercial Spaces" and "in	tegrated-style retro	ofit kits for	1x4, 2x2
	2X4, 30W-90W					
LED troffer fixtures	2X2, 23W-42W					
	1X4, 19W-65W	Fluorescent T2, T8, T5 fixtures	\$22.50/fixture	\$30/fixture		
D. C. C. C.	2X4, 32W-67W	TIUOTOSOOTIC 12, TO, TO TIACUTOS	Ψ22.30/ ΠΛΙΔΙ 6	ψου/ πλιαισ		
Retrofit kit for LED troffer fixtures	2X2, 22W-40W					
רבים נוטוופו ווענמופט	1X4, 19W-34W					

Page 3 of 9 22-03-537

New Mexico

Interior installations (continued)									
New Equipment		Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Q ty. =	Rebate			
LED linear ambient fixtures and retrofit kit Rebates are based on replacement of T8, T12 and T5 fluorescent ambient fixtures with new LED direct Linear Ambient fixtures and retrofit kits. Non-DLC products must meet the DLC product eligibility category definition. Direct Linear Ambient fixtures and Retrofit Kits for Direct linear Ambient Luminaries, to qualify for the prescriptive rebate. Rebates are based on total fixture wattage. Rebates for direct linear ambient kits are available for invoices dated on or after April 1, 2022.									
			For invoices dated on o	r after April 1, 2020					
	10W-35W		\$15/fixture	\$15/fixture					
LED direct linear ambient	36W-80W	T8, T12 and T5 linear ambient fixture	\$18.75/fixture	\$25/fixture					
	81W-10W		\$28.50/fixture	\$38/fixture					
			For invoices dated on o	r after April 1, 2022					
	10W-35W		\$11.25/fixture	\$15/fixture					
Retrofit kit for LED direct linear ambient fixtures	36W-60W	T8, T12 and T5 linear ambient fixture	\$15/fixture	\$20/fixture					
ambient interior	61W-100W		\$22.50/fixture	\$30/fixture					

Exterior installations								
New Equipment Precifications Non-DLC* DLC Oty. = Rebate/unit Rebat								
LED area lighting fixtures Rebates are based on one-for-one replacement of HID fixtures with new LED fixtures rated for exterior use. Non-DLC products and must meet the DLC product eligibility category definition, "Outdoor Pole/Arm-Mounted Area and Roadway Luminaire" or "Bollard". Rebates are based on total new fixture wattage.								
Outdoor area lighting 45W-65W		\$93.75/fixture	\$125/fixture					
Outdoor area lighting 66W-89W		\$93.75/fixture	\$125/fixture					
Outdoor area lighting 90W–119W	IIID firstrong	\$112.50/fixture	\$150/fixture					
Outdoor area lighting 120W-140W	HID fixture	\$131.25/fixture	\$175/fixture					
Outdoor area lighting 141W–199W		\$150/fixture	\$200/fixture					
Outdoor area lighting 200W-550W		\$187.50/fixture	\$250/fixture					

LED canopy fixtures

Rebates are based on one-for-one replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Non-DLC products and must meet the DLC product eligibility category definition, "Fuel Pump Canopy Luminaires". Equipment must be hard-wired and is not limited to gas stations installations. Rebates are based on total new fixture wattage.

		For invoices dated on or after April 1, 2020		
25W-60W	Replace HID systems with LED systems rated for exterior use. Equipment must be	\$37.50/fixture	\$50/fixture	
61W-150W	hardwired and rated for exterior use.	\$52.50/fixture	\$70/fixture	

LED parking garage fixtures

Rebates are based on one-for-one replacement of HID parking garage fixtures with new LED parking garage fixtures rated for exterior use. Non-DLC products and must meet the DLC product eligibility category definition, "Parking Garage Luminaires". Eligible parking garage structures need to be either underground or semi-enclosed above ground.

The lighting within the garage must operate 24 hours a day.

25W-60W	HID fixtures	\$101.25/fixture	\$135/fixture	
61W-83W	nid lixtules	\$112.50/fixture	\$150/fixture	

LED wall pack fixtures – Exterior and parking garage installations

Rebates are based on one-for-one replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Rebates are based on total new fixture wattage. Equipment must be hardwired and rated for exterior use. Non-DLC products and must meet the DLC product eligibility category definition. "Outdoor Wall-Mounted Area Luminaires".

mast be hardwired and rated for exterior asc. Non Dee products and mast most the Dee product engineery detector, and another area cammands.							
Building exterior	10W-25W		\$26.25/fixture	\$35/fixture			
	26W-60W		\$56.25/fixture	\$75/fixture			
	61W-150W	IIID* oveteme	\$75/fixture	\$100/fixture			
	10W-25W	HID* systems	\$26.25/fixture	\$35/fixture			
Parking garage	26W-60W		\$56.25/fixture	\$75/fixture			
	61W-150W		\$75/fixture	\$100/fixture			

Subtotal for LED rebates

Page 4 of 9 22-03-537

New Mexico

Standalone and networked lighting controls

Lighting control rebates are available for LED interior retrofit and parking garage retrofit fixtures. Rebates pertain to any new LED fixture that is rebated through the program. Control rebates are in addition to fixture rebates.

New Equipment	Specifications	Rebate/watt	Qty. watts connected=	Rebate
fixture. To earn a standalone lighting control rebate	ed by the sensor. The occupancy and/or photocell controls must be permane , the fixture cannot exceed 35% of full wattage during unoccupied periods. Idalone controls must function independently, not as part of a Networked Li	The low mode setting	g should be chose	
			ated on or after 1, 2020	
Occupancy sensor	Adjusts light levels according to the presence of occupants	\$0.05/watt		
Daylighting (photocell) sensor	Adjusts light levels automatically in response to the presence of natural light	\$0.10/watt		
Occupancy and daylighting (photocell) sensor	Performs functions of both	\$0.15/watt		
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been combe eligible for increased rebates through the Advan	ed by the system. Rebates are available for networked lighting control equip Control equipment must be on the DLC Qualified Product List (QPL) designli ylighting : Must be deployed where side and top lighting is available as defi rgy-efficiency; (4) Occupancy sensing : Controls configured in occupancy of missioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be LE	ghts.org/lighting-oined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in o	controls/downl tps://codes.iccsa h timeout set to 2 additional capab conjunction with	oad-theqpl fe.org/publi 20 minutes lities may
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been combe eligible for increased rebates through the Advan	Control equipment must be on the DLC Qualified Product List (QPL) designli ylighting: Must be deployed where side and top lighting is available as defi rgy-efficiency; (4) Occupancy sensing: Controls configured in occupancy on missioned to comply with the above requirements 1-4. Networked lighting c	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in of the controlled watta	controls/downl tps://codes.iccsa h timeout set to 2 additional capab conjunction with	oad-theqp fe.org/publ 20 minutes lities may
(1) Design Lights Consortium (DLC) Qualified: (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been combe eligible for increased rebates through the Advan	Control equipment must be on the DLC Qualified Product List (QPL) designli ylighting: Must be deployed where side and top lighting is available as defirgy-efficiency; (4) Occupancy sensing: Controls configured in occupancy omissioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be LE	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in of the controlled watta	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with toge.	oad-theqpl fe.org/publi 20 minutes lities may
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: ((2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been complee eligible for increased rebates through the Advan installation or installed within the past 5 years. Spe	Control equipment must be on the DLC Qualified Product List (QPL) designli ylighting: Must be deployed where side and top lighting is available as defirgy-efficiency; (4) Occupancy sensing: Controls configured in occupancy omissioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be LE	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in cithe controlled watta For invoices da April 1	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with toge.	oad-theqpl fe.org/publi 20 minutes lities may
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: (1) (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been complete eligible for increased rebates through the Advaninstallation or installed within the past 5 years. Spe	Control equipment must be on the DLC Qualified Product List (QPL) designti ylighting: Must be deployed where side and top lighting is available as defirgy-efficiency; (4) Occupancy sensing: Controls configured in occupancy omissioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be Liber sheets and invoices for connected LED fixtures must be provided to verify	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in cithe controlled watta For invoices da April 1	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with toge.	oad-theqpl fe.org/publi 20 minutes lities may
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: ((2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been combe eligible for increased rebates through the Advan installation or installed within the past 5 years. Spe Networked Lighting Control (NLC) *I certify the six (6) networked lighting controls required. Commissioning Agent Information (commission)	Control equipment must be on the DLC Qualified Product List (QPL) designliylighting: Must be deployed where side and top lighting is available as defirgy-efficiency; (4) Occupancy sensing: Controls configured in occupancy omissioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be List sheets and invoices for connected LED fixtures must be provided to verify unirements listed above are met, the system has been commissioned, and worming agent is the programmer of the NLC system)	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in cithe controlled watta For invoices da April 1	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with toge.	oad-theqpl fe.org/publi 20 minutes lities may
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been common be eligible for increased rebates through the Advantinstallation or installed within the past 5 years. Spe	Control equipment must be on the DLC Qualified Product List (QPL) designliylighting: Must be deployed where side and top lighting is available as defired rey-efficiency; (4) Occupancy sensing: Controls configured in occupancy of missioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be Library and invoices for connected LED fixtures must be provided to verify the control of the provided to verify the control of the programmer of the NLC system)	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in of the controlled watta For invoices da April ' \$0.40/watt orking as designed.	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with tige. ated on or after 1, 2020	oad-theqpi fe.org/publi 20 minutes lities may the controls
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: ((2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been combe eligible for increased rebates through the Advaninstallation or installed within the past 5 years. Spe Networked Lighting Control (NLC) *I certify the six (6) networked lighting controls required. Commissioning Agent Information (commission Company name	Control equipment must be on the DLC Qualified Product List (QPL) designliylighting: Must be deployed where side and top lighting is available as defired regy-efficiency; (4) Occupancy sensing: Controls configured in occupancy missioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be Lieus sheets and invoices for connected LED fixtures must be provided to verify unirements listed above are met, the system has been commissioned, and worming agent is the programmer of the NLC system)	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in of the controlled watta For invoices da April ' \$0.40/watt orking as designed.	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with toge.	oad-theqpi fe.org/publi 20 minutes lities may the controls
Rebates are based on the amount of watts controlle (1) Design Lights Consortium (DLC) Qualified: (2) High End Trim: Required, 80% or lower; (3) Dadocument/IECC2015/chapter-4-ce-commercial-ene or less. (5) commissioning: Project has been common ended to be eligible for increased rebates through the Advan installation or installed within the past 5 years. Specific specif	Control equipment must be on the DLC Qualified Product List (QPL) designliylighting: Must be deployed where side and top lighting is available as defired rey-efficiency; (4) Occupancy sensing: Controls configured in occupancy of missioned to comply with the above requirements 1-4. Networked lighting coded Lighting Controls Custom offering. (6) Controlled fixtures must be Library and invoices for connected LED fixtures must be provided to verify the control of the provided to verify the control of the programmer of the NLC system)	ghts.org/lighting-cined in IECC 2015, ht or vacancy mode with ontrol systems with ED, either retrofit in of the controlled watta For invoices da April ' \$0.40/watt orking as designed.	controls/downl tps://codes.iccsa h timeout set to 2 additional capabi conjunction with tige. atted on or after 1, 2020	oad-theqp fe.org/publ 20 minutes lities may the controls

Page 5 of 9 22-03-537

New Mexico

Removed lighting		Fixture qty.
Fluorescent T12 – 8 foot	1-lamp	
Fluorescent T12H0 – 8 foot	2-lamp	
☐ Magnetic ballast ☐ Electronic ballast ☐ Energy-saving magnetic ballast	3-lamp	
Ballast factor	4-lamp	
Fluorescent T8 – 4-foot 32W	1-lamp	
☐ Magnetic ballast ☐ Electronic ballast	2-lamp	
☐ Energy-saving magnetic ballast	3-lamp	
Ballast factor	4-lamp	
Fluorescent T12, 4 foot or less	1-lamp	
☐ Magnetic ballast	2-lamp	
☐ Electronic ballast☐ Energy-saving magnetic ballast☐	3-lamp	
Ballast factor	4-lamp	

Installed lighting			Fixture qty.
LED troffer	Wattage per fixture		
LED troffer retrofit kit	Wattage per kit		
LED mogul screw-base replacements for HID lamps	Wattage per kit		
	Plug and play (UL Type Al		
	Ballast factor	4-foot	
150 "	Wattage per lamp		
LED linear replacement lamps	Direct line voltage (UL Type Bl	4-foot	
Topiacomone iampo	Wattage per lamp	4-1001	
	External drive (UL Type CI	4-foot	
	Wattage per lamp	4-1001	
	Plug and play (UL Type Al		
	Ballast factor		
	Nominal Wattage per lamp		
LED linear replacement lamps	Direct line voltage (UL Type Bl		
. op. asomone rampo	Nominal Wattage per lamp		
	External drive (UL Type CI		
	Lamps per kit		

Removed lighting		Fixture qty.
Incandescent Wattage per lamp	Number of lamps	
Incandescent Wattage per lamp	Number of lamps	
Incandescent Wattage per lamp	Number of lamps	
Incandescent Wattage per lamp	Number of lamps	

Installed high-efficiency light	Fixture qty.	
Interior commercial LED downlight luminaires	Wattage per fixture	
LED lamps	Wattage per lamp	
LED downlight retrofit kit	Wattage per fixture	
LED mogul screw-base replacements for HID lamps	Wattage per lamp	

Page 6 of 9 22-03-537

New Mexico

Removed lighting	Fixture qty.	Installed lighting		Fixture qty.			
High-intensity discharge (HID) High-pressure sodium Mercury vapor		Exterior LED canopy and soffit fixtures Wattage per fixture					
☐ Metal halide ☐ Pulse-start metal halide ☐ Magnetic ballast ☐ Electronic ballast		Exterior LED wall pack fixtures					
☐ Energy-saving magnetic ballast		Wattage per fixture					
Wattage per lamp Number of lamps		LED parking garage fixture					
High-intensity discharge (HID) High-pressure sodium	gh-pressure sodium	Т8					
☐ Metal halide ☐ Pulse-start metal halide ☐ Magnetic ballast ☐ Electronic ballast		T8					
Energy-saving magnetic ballast		Ballast factor	T8VH0				
Wattage per lamp Number of lamps		Ballast make/model no	T5H0				
High-intensity discharge (HID) High-pressure sodium		Must have high-efficiency electronic ballasts.	T5H0				
☐ Metal halide ☐ Pulse-start metal halide ☐ Magnetic ballast ☐ Electronic ballast ☐ Energy-saving magnetic ballast							
Wattage per lamp Number of lamps							
Removed lighting	Fixture qty.	Installed high-efficiency lighting		Fixture qty.			
Fluorescent refrigerated or freezer case lighting 5-foot 6-foot 78 Cooler case Freezer 712		LED refrigerated case lighting Wattage per fixture					
Wattage/door		LED pin-base lamp 2-pin 4-pin Wattage per lamp					
CFL lamp Wattage per lamp Number of lamps		Z pini i pini					
Standalone and networked lighting controls							
Occupancy sensor Daylighting (photocell) sensor	r 🔲 Occ	upancy and daylighting (photocell) sensor Networked	Lighting Con	trol			
Number of fixtures Connected watts							

Page 7 of 9 22-03-537

New Mexico

Cost worksheet

Enter the total equipment and labor costs for each individual product. An individual product is defined as a specific lighting technology with a single wattage value or a lighting control.

Equipment	Wattage	Qty. =	Total equipment cost	Total labor cost
Example: 2x4 LED Troffer	25	4	\$100	\$100
Example: Occupancy control	100	1	\$100	\$100

Page 8 of 9 22-03-537

New Mexico

How to apply

1. Rebate details

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed seperately from equipment costs. If equipment was selfinstalled, please include a labor cost based on the install time and rate of pay of the installer.

3. Specifications (if applicable)

Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified and products that are comparable but not DLC or ENERGY STAR listed. Because LED products have become more prevalent and the overall quality has improved, Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. You must include a screenshot of the product's listing on the applicable website showing details.

ENERGY STAR and DesignLights Consortium Qualified Product Lists

The DLC promotes quality, performance and energy-efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. For the technical requirements to be listed on the DLC QPL, please visit this website: https://www.designlights.org.

ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty. **Visit** energystar.gov/products to search for qualified commercial products.

Please submit forms here:

Mail: Xcel Energy, Lighting Efficiency program

5822 Cromo Dr. Duite 201 El Paso, Texas 79912

Fax: 866-379-5583

Email: Xcelnm@Clearesult.com

Rules and requirements

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying interior lighting equipment (and select exterior canopy and soffit fixtures) in your existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855-839-8862 for custom lighting project review prior to beginning the project.

Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our New Mexido electric service territory. Check the Xcel Energy website (xcelenergy.com) to verify eligibility. Residential customers-please contact Xcel Energy at 800-895-4999 to learn about our residential energy efficiency programs.

Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.

- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- Policy Update: 1:1 Effective January 1, 2020

Retrofit projects that are not a one-for-one replacements may be submitted through the prescriptive program if the baseline fixtures are reduced by less than 50%. If the retrofit project reduces fixtures by more than 50%, the project will need to be analyzed custom.

- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to
 Xcel Energy within 12 months of the invoice date. Invoice(s) submitted must
 include itemized quantity, price, manufacturer's make and model numbers, and
 product codes for each material item and original equipment manufacturer (OEM)
 specification sheets. Please talk with your Lighting program partner at 575-208-7405.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form.
 Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation
 of materials listed on this rebate application and will need access to survey the
 installed project. Customer should keep a sample of any/all types of equipment
 removed, for a period of three (3) months after receiving a rebate from Xcel Energy.
 If the inspection finds that you didn't comply with program rules and standards,
 any rebate you have received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with the Xcel Energy Lighting Efficiency program partner at 575-208-7405 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize your participation in this program, unless you specifically request otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels.
 Information can be found at iesna.org.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. You can find the list of participating retailers at xcelenergy.com/Bulbfinder.

Warranty information

Xcel Energy

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.

