

Colorado

Clear form



Lighting Efficiency

Lighting Retrofit Rebate Application

Opportunity ID _____

Business customer information

Company name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact name _____ Phone _____ Email* _____

Xcel Energy electric premises number _____

I verify the information on this application is correct and request consideration for participation in this program.

Customer signature _____ Date _____

Customer hereby certifies that: 1. the customer, and not Xcel Energy is solely responsible for the accuracy of the information contained in this application; 2. all installation is complete and operational prior to submitting rebate; and 3. all rules of this Xcel Energy program have been followed. Further, the customer acknowledges that participation in this rebate program shall impose no liability on Xcel Energy. In particular, Xcel Energy shall not be liable for the work performed by the customer's engineer, contractor or vendor.

Xcel Energy account manager signature _____ Date _____

Alternate rebate recipient

Complete this section only if the customer wants the rebate check to go to someone other than the company tied to the account number.

Company name _____

Contact name _____ Phone _____

Address _____ City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer signature _____ Date _____

Contractor information

Contractor company name _____ Contractor contact name _____

Contractor address _____ City _____ State _____ ZIP _____

Phone _____ Fax _____ Email* _____

Facility characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? ☐ Air conditioned ☐ Heat only ☐ No air conditioning or heat

Please indicate the primary use for this location:

- | | | | |
|---|--|--|---|
| <input type="checkbox"/> Assisted living | <input type="checkbox"/> College/university | <input type="checkbox"/> Elementary school | <input type="checkbox"/> Grocery/convenience |
| <input type="checkbox"/> Healthcare office/out-patient | <input type="checkbox"/> Hospital | <input type="checkbox"/> Hotel/motel common areas | <input type="checkbox"/> Hotel/motel guest rooms |
| <input type="checkbox"/> Manufacturing | <input type="checkbox"/> Nighttime exterior | <input type="checkbox"/> Office – low rise (1-2 stories) | <input type="checkbox"/> Office – mid rise (3-11 stories) |
| <input type="checkbox"/> Office – high rise (12+ stories) | <input type="checkbox"/> Parking garage | <input type="checkbox"/> Religious building | <input type="checkbox"/> Restaurant |
| <input type="checkbox"/> Retail – department store | <input type="checkbox"/> Retail – strip mall | <input type="checkbox"/> Secondary school | <input type="checkbox"/> Warehouse |
| <input type="checkbox"/> Other/misc. _____ | | | |

Does the lighting in this facility operate 24 hours a day? ☐ Yes ☐ NoDo 50% or more of your facility's existing lights still work? ☐ Yes ☐ No

Rebate payment option (if no option is chosen, the rebate will default to a check):

- ☐ Check (rebate check will be mailed)
- ☐ Bill credit (rebate will be applied as a bill credit to the Xcel Energy account)
- ☐ Direct Deposit (ACH payments are available to customers enrolled in autopay through MyAccount)

* By providing your e-mail address, you are granting Xcel Energy permission to send further e-mails regarding our programs and services.

LED rebate worksheet

Interior installations

Prescriptive rebates are available for the interior and specified exterior equipment listed below. Rebates are based on total fixture wattage. If the fixture is within + or – 10% of the rebate wattage category, the fixture can qualify for a prescriptive rebate. If not, then it could be eligible for a custom rebate. If the project does not fit one of the descriptions below, it may still qualify for rebates. **Xcel Energy offers a tiered rebate level for products that are either DesignLights Consortium (DLC) Qualified Product Lists (QPL) or ENERGY STAR®-qualified and products that are comparable but not DLC or ENERGY STAR listed. Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products will be equal to 75% of the rebate amount that we offer or comparable LED products that are DLC- or ENERGY STAR qualified.*** Refer to the LED Rebate Guide to see which DLC eligible products are within each category. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855-839-8862 for custom lighting project review prior to beginning the project.

New Equipment	Existing Equipment Specifications	Non-ENERGY STAR* rebate/unit	ENERGY STAR rebate/unit	Qty. =	Rebate
LED downlight fixtures					
Rebates are based on new full fixture replacements with commercial LED hardwired and downlight luminaires. Non-ENERGY STAR products must meet ENERGY STAR product eligibility category definition, certified “ Downlight ” (recessed, surface mount or pendant), to qualify for the prescriptive rebate. Rebates are based on total fixture wattage.					
8W–25W	Incandescent and HID systems	\$26.25/fixture	\$35/fixture		
26W–50W		\$37.50/fixture	\$50/fixture		
8W–25W	Compact fluorescent systems	\$18.75/fixture	\$25/fixture		
26W–50W		\$26.25/fixture	\$35/fixture		

New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
LED and LEC exit signs					
Rebates are based on replacement of incandescent exit signs to LED or LEC exit signs. LED exit signs do not need to follow the DLC requirement (until further notice).					
LED and LEC exit signs	Incandescent exit signs	\$25/fixture			

LED high/low bay fixtures and retrofit kits					
Rebates are based on replacement of HID and fluorescent high/low/aisle bay fixtures with new LED high/low-aisle bay fixtures and retrofit kits. Non-DLC products must meet the DLC product eligibility category definition, “ High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings, Retrofit Kits High-Bay Luminaires/High-Bay Aisle Luminaires/Low-Bay Luminaires for Commercial and Industrial Buildings ,” to qualify for the prescriptive rebate. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Linear ambient (or “strip”) fixtures are not eligible in this category. High bay luminaires must include a permanent LED array of diodes. Fixtures with pin-based tubes are not eligible for this rebate.					
			For invoices dated on or after April 1, 2021		
LED high/low bay fixtures	75W–94W	HID*** fixtures	\$37.50/fixture	\$50/fixture	
	95W–189W		\$67.50/fixture	\$90/fixture	
	190W–290W		\$75/fixture	\$100/fixture	
	291W–464W		\$150/fixture	\$200/fixture	
	465W–625W		\$187.50/fixture	\$250/fixture	
Retrofit kit for LED high/low bay fixtures	75W–94W		\$22.50/fixture	\$30/fixture	
	95W–189W		\$22.50/fixture	\$30/fixture	
	190W–290W		\$30/fixture	\$40/fixture	
	291W–464W		\$37.50/fixture	\$50/fixture	
	465W–625W		\$78.75/fixture	\$105/fixture	
			For invoices dated on or after April 1, 2021		
LED high/low bay fixtures	75W–94W	Fluorescent T12, T8, T5 fixtures	\$37.50/fixture	\$50/fixture	
	95W–189W		\$67.50/fixture	\$90/fixture	
	190W–290W		\$75/fixture	\$100/fixture	
Retrofit kit for LED high/low bay fixtures	75W–94W		\$22.50/fixture	\$30/fixture	
	95W–189W		\$22.50/fixture	\$30/fixture	
	190W–290W		\$30/fixture	\$40/fixture	

***HID equipment includes the following technologies: mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide.

Interior installations (continued)

New Equipment	Existing Equipment Specifications		Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
LED linear ambient fixtures and retrofit kit Rebates are based on replacement of T8, T12 and T5 fluorescent ambient fixtures with new LED direct Linear Ambient fixtures and retrofit kits. Non-DLC products must meet the DLC product eligibility category definitions, Direct Linear Ambient fixtures and Retrofit Kits for Direct Linear Ambient Luminaires , to qualify for the prescriptive rebate. Rebates are based on total fixture wattage. Rebates for direct linear ambient kits are available for invoices dated on or after November 4, 2021.						
LED direct linear ambient fixtures & retrofit kit for LED direct linear ambient fixtures	10W–35W	T8, T12 and T5 linear ambient fixture	\$11.25/fixture	\$15/fixture		
	36W–60W		\$11.25/fixture	\$15/fixture		
	61W–100W		\$18.75/fixture	\$25/fixture		
LED refrigerated case lighting 5- and 6-foot doors Rebates are based on replacement of T12 or T8 linear 5- to 6-foot fluorescent refrigerated case door lighting with new 5- to 6-foot LED refrigerated case door strip lighting. Non-DLC products must meet the DLC product eligibility category definition “ Vertical Refrigerated Case Luminaires. ” Category covers only complete luminaires, with all necessary components. Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate.						
LED 5- and 6-foot doors <input type="checkbox"/> Cooler case <input type="checkbox"/> Freezer case	Fluorescent T8 and T12 systems		\$33.75/fixture	\$45/fixture		
LED troffer fixtures and retrofit kit Rebates are based on replacement of fluorescent T12, T8 or T5 fixtures with new LED troffer fixtures or retrofit kits. Non-DLC products must meet the DLC product eligibility category definitions, “ 1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces ” and “ integrated-style retrofit kits for 1x4, 2x2, and 2x4 ” and “ linear-style retrofit kits for 2x2, 1x4, and 2x4 luminaires for ambient lighting of interior commercial spaces ”. Linear ambient (or “strip”) fixtures are not eligible in this category and should be submitted through the Linear Ambient category.						
LED troffer fixtures & retrofit kit for LED troffer fixtures	10W–100W	Fluorescent T8, T12, and T5 troffer fixtures	\$22.50/fixture	\$30/fixture		
Stairwell fixtures Rebates are based on replacement of a T12, T8, T5, HID, or CFL with a 20W–60W LED stairwell fixture. Stairwell fixtures do not need to have an integrated occupancy or step dimming driver to be eligible for the prescriptive stairwell rebate, instead customers can receive separate rebates for the controls portion of the fixture through the new standalone controls rebates. Non-DLC products must meet the DLC product eligibility category definition, “ stairwell/passageway luminaires ”.						
LED stairwell fixture	20W–60W	Fluorescent T12, T8, T5, HID, or CFL	\$30/fixture	\$40/fixture		

*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at designlights.org/QPL. The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

LED Instant Rebates

LED linear tubes, LED moguls screw base replacement lamps and LED replacement lamps for pin-based CFL lamp rebates will be offered through the business LED instant rebate program. To continue to obtain rebates for these lamps, make sure that you are working with a participating distributor. For more information, visit xcelenergy.com/LightingEfficiency and businessledinstantrebate.com/Locator/Distributors to find a list of participating distributors.

New Equipment	Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
Business LED instant rebates					
A-lamp, PAR, BR, R, MR, decorative lamps	Select screw-in and pin-based LED lamps, LED downlight solid state retrofit kits, LED tubes and LED mogul screw base lamps are eligible for instant rebates at the time of purchase from participating distributors. These products will be discounted at the time of purchase and no additional rebate paperwork is required. For more information, visit xcelenergy.com/LightingEfficiency , or visit businessledinstantrebate.com/Locator/Distributors to find a participating distributor.				
LED retrofit kit for downlights					
LED tubes					
LED mogul screw base lamps					
LED 2-pin or 4-pin lamps					

*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at designlights.org/QPL. The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

Exterior installations

New Equipment		Existing Equipment Specifications	Non-DLC* rebate/unit	DLC rebate/unit	Qty. =	Rebate
LED canopy fixtures Rebates are based on replacement of HID canopy or soffit fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, “Fuel Pump Canopy Luminaires” . Equipment must be hard-wired and is not limited to gas stations installations. Rebates are based on total new fixture wattage. Downlights do not qualify. LED fixtures must replace HID** fixtures						
25W–60W	HID fixtures	\$15/fixture	\$20/fixture			
61W–150W		\$18.75/fixture	\$25/fixture			
LED parking garage fixtures Rebates are based on replacement of HID and fluorescent parking garage fixtures with new LED parking garage fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, “Parking Garage Luminaires” . Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. LED retrofit kits are not available for prescriptive rebates, but can be considered in the Custom Efficiency program. Rebates are based on total new fixture wattage. Prescriptive parking garage retrofit rebates are also available for other fixture types.***						
25W–60W	HID and fluorescent fixtures	\$86.25/fixture	\$115/fixture			
61W–83W		\$93.75/fixture	\$125/fixture			
LED street and area lighting fixtures Customers must be on a metered rate to qualify for LED Street Lighting rebates. Rebates are based on replacement of HID fixtures with new LED fixtures rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, “Outdoor Pole/Arm-Mounted Area and Roadway Luminaire” or “Bollard” . Rebates are based on total new fixture wattage. LED fixture must replace HID** fixture.						
Street Lighting	55W–79W	HID fixtures	\$18.75/fixture	\$25/fixture		
	80W–109W		\$18.75/fixture	\$25/fixture		
	110W–139W		\$30/fixture	\$40/fixture		
	140W–209W		\$37.50/fixture	\$50/fixture		
Area Lighting	45W–65W		\$26.25/fixture	\$35/fixture		
	66W–89W		\$26.25/fixture	\$35/fixture		
	90W–119W		\$30/fixture	\$40/fixture		
	120W–140W		\$37.50/fixture	\$50/fixture		
	141W–199W		\$45/fixture	\$60/fixture		
	200W–550W		\$67.50/fixture	\$90/fixture		
LED wall pack fixtures – exterior and parking garage installations Rebates are based on replacement of HID wall packs with new LED fixtures hardwired and rated for exterior use. Non-DLC products must meet the DLC product eligibility category definition, “Outdoor Wall-Mounted Area Luminaires” . Rebates are based on total new fixture wattage. LED fixture must be an HID** replacement fixture. Wall packs installed in parking garages must operate 24 hours a day.						
Building exterior	10W–25W	HID fixtures	\$11.25/fixture	\$15/fixture		
	26W–60W		\$22.50/fixture	\$30/fixture		
	61W–150W		\$37.50/fixture	\$50/fixture		
Parking garage	10W–25W		\$22.50/fixture	\$30/fixture		
	26W–60W		\$45/fixture	\$60/fixture		
	61W–150W		\$56.25/fixture	\$75/fixture		

*To qualify for a rebate, LED products must either be found on or comparable to the DesignLights Consortium's (DLC) Qualified Product and/or ENERGY STAR lists. The DLC QPL is available at designlights.org/QPL. The DLC establishes specifications for high-efficiency, high-quality commercial lighting solutions and maintains listings of qualified products.

** HID equipment includes the following technologies: mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide.

*** Xcel Energy's prescriptive rebate program will allow prescriptive parking garage retrofits to earn rebates for the following technologies (Linear ambient fixtures, Troffer fixtures, LED tubes, Bi-level stairwell fixtures, and Mogul screw base lamps), but at the rebate level the technology is associated with and meets the DLC product eligibility category definition. Please see the eligibility requirements section for more information.

Standalone and networked lighting controls

Lighting control rebates are available for LED interior retrofit and parking garage retrofit fixtures, as well as LED tubes and lamps. Control rebates are in addition to fixture rebates. Controlled fixtures must either be retrofit in conjunction with the controls installation or installed within the past 5 years. Information verifying the connected LED fixtures must be provided to verify the controlled wattage.

New Equipment	Specifications	Rebate/watt	Qty. watts connected=	Rebate
Standalone Lighting Controls				
Rebates are based on the amount of watts controlled by the sensor. The occupancy and/or photocell controls must be permanently mounted to a wall, ceiling or integrally into the fixture. To earn a standalone lighting control rebate, the fixture cannot exceed 35% of full wattage during unoccupied periods. The low mode setting should be chosen so that the surface illumination levels are code compliant. Standalone controls must function independently, not as part of a Networked Lighting Control system. For high end trim rebates, the fixture power must be reduced a minimum of 20% and up to 40% of the rated wattage. This rebate cannot be combined with any of the other controls measures. If you are implementing high end trim in conjunction with occupancy and daylighting, please refer to the Networked Lighting Controls measure.				
Occupancy sensor <input type="checkbox"/> Luminaire Level (LLC) <input type="checkbox"/> Wall or ceiling mount	Adjusts light levels according to the presence of occupants	\$0.05/watt		
Daylighting (photocell) sensor <input type="checkbox"/> Luminaire Level (LLC) <input type="checkbox"/> Wall or ceiling mount	Adjusts light levels automatically in response to the presence of natural light	\$0.10/watt		
Occupancy and daylighting (photocell) sensor <input type="checkbox"/> Luminaire Level (LLC) <input type="checkbox"/> Wall or ceiling mount	Performs functions of both	\$0.15/watt		
Rebates for high end trim are available for invoices dated on or after July 1, 2022				
High end trim	Permanently reduces the maximum light output to the appropriate light level for the space.	\$0.15/watt		
Networked Lighting Controls (NLC)				
Rebates are based on the amount of watts controlled by the system. Rebates are available for NLC equipment that meet the following system requirements: (1) High End Trim: Required, 80% or lower; (2) Daylighting: Must be deployed where side and top lighting is available as defined in IECC 2015, https://codes.iccsafe.org/public/document/IECC2015/chapter-4-ce-commercial-energy-efficiency ; (3) Occupancy sensing: Controls configured in occupancy or vacancy mode with timeout set to 20 minutes or less. (4) commissioning: Project has been commissioned to comply with the above requirements 1-4. Networked lighting control systems with additional capabilities may be eligible for increased rebates through the Advanced Lighting Controls Custom offering. (5) Controlled fixtures must be LED , either retrofit in conjunction with the controls installation or installed within the past 5 years. Spec sheets and invoices for connected LED fixtures must be provided to verify the controlled wattage. For invoices dated on or after 7/1/22 NLC systems do not need to be DLC listed to receive the NLC rebate. For invoices dated date before 7/1/22 NLC systems must be DLC listed to receive the NLC rebate.				
Networked Lighting Control (NLC)		\$0.40/watt		
*I certify the six (5) networked lighting controls requirements listed above are met, the system has been commissioned, and working as designed.				
Commissioning Agent Information (commissioning agent is the programmer of the NLC system)				
Company name _____				
Agent name _____				
Agent signature _____ Date _____				

Subtotal for standalone and networked control rebates

Total rebate

Removed lighting	Fixture qty.	Installed lighting	Fixture qty.
Fluorescent fixture Lamp type: <input type="checkbox"/> T5 <input type="checkbox"/> T8 <input type="checkbox"/> T12 Ballast type: <input type="checkbox"/> Rapid start electronic ballast <input type="checkbox"/> Program start electronic ballast <input type="checkbox"/> Instant start electronic ballast Ballast factor: <input type="checkbox"/> HBF <input type="checkbox"/> NBF <input type="checkbox"/> LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp	LED troffer Fixture wattage _____ Fixture lumens _____ <i>Fixture lumens field is required for invoices dated on or after September 1, 2018.</i>	
		LED troffer Fixture wattage _____ Fixture lumens _____ <i>Fixture lumens field is required for invoices dated on or after September 1, 2018.</i>	
		LED linear direct ambient Wattage per fixture _____	

Fluorescent fixture Lamp type: <input type="checkbox"/> T5 <input type="checkbox"/> T8 <input type="checkbox"/> T12 Ballast type: <input type="checkbox"/> Rapid start electronic ballast <input type="checkbox"/> Program start electronic ballast <input type="checkbox"/> Instant start electronic ballast Ballast factor: <input type="checkbox"/> HBF <input type="checkbox"/> NBF <input type="checkbox"/> LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp	
--	--	--

Fluorescent fixture Lamp type: <input type="checkbox"/> T5 <input type="checkbox"/> T8 <input type="checkbox"/> T12 Ballast type: <input type="checkbox"/> Rapid start electronic ballast <input type="checkbox"/> Program start electronic ballast <input type="checkbox"/> Instant start electronic ballast Ballast factor: <input type="checkbox"/> HBF <input type="checkbox"/> NBF <input type="checkbox"/> LBF Lamp wattage _____	1-lamp 2-lamp 3-lamp 4-lamp ____lamp	
--	--	--

Installed lighting		Fixture qty.
LED linear replacement lamps	Plug & play (UL type A) Ballast factor _____ Nominal wattage per lamp _____	2-foot 4-foot
	Direct line voltage (UL type B) Nominal wattage per lamp _____	4-foot
	External driver (UL type C) Lamps per kit _____	2-foot 4-foot

Removed lighting	Fixture qty.	Installed lighting	Fixture qty.
CFL lamp Wattage per lamp _____ Number of lamps _____		Bi-level stairwell fixture <input type="checkbox"/> T8: Lamp wattage _____ <input type="checkbox"/> LED: Fixture wattage _____ Percent dimming _____	
Pin-based, 2- or 4-pin lamp Wattage per lamp _____		LED pin-base lamp 2-pin _____ 4-pin _____ Nominal wattage per lamp _____	
Incandescent exit signs		<input type="checkbox"/> LED exit signs <input type="checkbox"/> LEC exit signs	

Removed lighting	Fixture qty.
Incandescent Wattage per lamp _____ Number of lamps _____	

Removed lighting	Fixture qty.	Installed lighting	Fixture qty.
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED canopy and soffit fixtures Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED wall pack fixtures Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		Exterior LED parking garage fixtures Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED area lighting Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED street lighting Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED high bay fixtures Wattage per fixture _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED high bay retrofit kit Wattage per kit _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED mogul screw-base replacements for HID lamps Wattage per lamp _____	
High-intensity discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____		LED downlight fixtures Wattage per fixture _____	

Removed lighting	Fixture qty.	Installed lighting	Fixture qty.
Fluorescent refrigerated or freezer case lighting <input type="checkbox"/> 5-foot <input type="checkbox"/> 6-foot <input type="checkbox"/> T8 <input type="checkbox"/> Cooler case <input type="checkbox"/> Freezer <input type="checkbox"/> T12 Wattage/door _____		LED Refrigerated case lighting Wattage per door _____	

Standalone and Networked Lighting Controls

<input type="checkbox"/> Occupancy sensor <input type="checkbox"/> Networked Lighting Control	<input type="checkbox"/> Daylighting (photocell) sensor <input type="checkbox"/> High End Trim	<input type="checkbox"/> Occupancy and daylighting (photocell) sensor
Number of fixtures _____ Connected watts _____		

Cost worksheet

Enter the total equipment and labor costs for each individual product. An individual product is defined as a specific lighting technology with a single wattage value or a lighting control.

[illegible]

Business customer information

1. Rebate details

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

3. Specifications (if applicable)

Xcel Energy offers a tiered rebate level for products that are either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) qualified, and products that are comparable but not DLC or ENERGY STAR listed. Because LED products have become more prevalent and the overall quality has improved, Xcel Energy has added prescriptive rebates for LED lighting fixtures and lamps that are not DLC or ENERGY STAR qualified. The rebate amounts for these products equal 75% of the rebate amount that we offer for comparable LED products that are DLC- or ENERGY STAR qualified. **If a fixture's wattage or category specification are in question, please reference the DLC listed tested wattage and specification.**

ENERGY STAR and DesignLights Consortium Qualified Product Lists

The DLC promotes quality, performance and energy-efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. Visit [designlights.org/QPL](https://www.designlights.org/QPL) to search for qualified commercial products. **For the technical requirements to be listed on the DLC QPL, please visit this website: <https://www.designlights.org>.** ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty. Visit energystar.gov/products to search for qualified commercial products.

4. Submittal

Please submit forms to an account manager (if applicable). If there is not an Xcel Energy account manager on the account, please email forms to: EnergyEfficiency@xcelenergy.com (preferred), or fax to 800-311-0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and requirements information

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying interior lighting equipment (and select exterior fixtures) in an existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact an Xcel Energy account manager or call our Business Solutions Center at 855-839-8862 for custom lighting project review prior to beginning the project.

The Small Business Energy Solutions program provides qualifying customers with a free audit, free select energy-saving products and implementation support including support finding a contractor and submitting your rebate application. For more information on this program please call 877-287-2250.

Customer qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Colorado electric service territory. Check the Xcel Energy website (xcelenergy.com) to verify eligibility. Residential customers—please contact Xcel Energy at 800-895-4999 to learn about our residential energy efficiency programs.

Eligibility requirements

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- All projects must be identified as either early replacement or replace on burnout. To determine which situation your project falls under, please answer this question on page 1: "Do 50% or more of your facility's lights still work? Yes(check box) No(check box)"
- If your project has 50% or more of the lighting system functioning, it qualifies as early replacement. If your project has 50% or more of the lighting system malfunctioning, it qualifies as replace on burnout.
- Xcel Energy's prescriptive rebate program will allow prescriptive parking garage retrofits to earn rebates for the following technologies, but at the rebate level the technology is associated and meets the DLC product eligibility category definition.
 - Linear ambient fixtures
 - Troffer fixtures
 - LED tubes

- Bi-level stairwell fixtures
- Mogul screw base lamps
- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- Customers who purchase lights in bulk can earn rebates on select LED lamps (listed below) for stocking purpose. Lamps in storage **MUST** remain on the premises.
 - LED Linear tubes Type A and Type B
 - LED mogul screw-based lamps
 - LED 2 pin and 4 pin lamps
- **1:1 Policy Update**
Retrofit projects that are not a one-for-one replacements may be submitted through the prescriptive program if the baseline fixtures are reduced by less than 50%. If the retrofit project reduces fixtures by more than 50%, the project will need to be analyzed custom.
- **Rebates cannot exceed 60% of the project cost (including equipment and labor).** The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 24 months of the invoice date.** Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please contact an account manager or call our Business Solutions Center at 855-839-8862 for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that the project does not comply with program rules and standards, any rebate received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with an account manager or call the Business Solutions Center at 855-839-8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize participation in this program, unless specifically requested otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at iesna.org.
- Purchases made from a residential-based participating retail location do not qualify for a Lighting Efficiency Rebate. Find a list of participating retailers at xcelenergy.com/BulbFinder.

Warranty information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Is not responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.