

Prescriptive Program Rebate Application

OID _____
Internal Use Only

Check the appropriate program box for your rebate.

- Cooling
- FSO (Fluid System Optimization)
- Foodservice Equipment
- Heating
- Lighting
- Motors & Drives

Customer Information

Xcel Energy premises numbers: Electric: _____ and/or Gas: _____

Company Name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact Name (PRINT) _____ Phone _____

Contact Email* _____ Fax _____

Equipment location description (REQUIRED) _____

The total project cost: \$ _____
(Acceptable expenses include equipment and labor and do not include tax, freight or shipping costs.)

Customer Signature _____ Date _____

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the terms and conditions on page 2 of this application. I also authorize Xcel Energy to provide a copy of the project preapproval notification to the equipment supplier or vendor so as to expedite the project process.

Alternative Rebate Recipient

Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.

Company Name _____ Contact name _____

Address _____ Phone _____

City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer Signature _____ Date _____

Xcel Energy account representative name _____ Signature _____

Trade Partner Information (Vendor/Contractor Information)

Company Name _____ Trade Partner ID# _____

Contact Name (PRINT) _____

Address _____ City _____ State _____ ZIP _____

Contact email* _____ Phone _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

LED REBATE WORKSHEET

Prescriptive rebates are available for the equipment listed below. Rebates are based on total new fixture wattage. **Qualifying LED lighting technology will be eligible if the wattage falls within +/- 10% of the lowest and highest wattage level for the rebated product.** If your project does not fit one of the descriptions below, it may still qualify for a Custom Efficiency rebate. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for Custom Efficiency lighting project review prior to beginning the project.

EQUIPMENT (for interior installations unless noted otherwise)	SPECIFICATIONS	REBATE/ UNIT x	QTY =	REBATE
LED and LEC Exit Signs Rebates are based on one-for-one replacement of incandescent exit signs to LED or LEC exit signs. LED Exit Signs do not need to follow the DLC requirement (until further notice).				
LED and LEC Exit Signs	Replace incandescent signs.	\$25		
LED Downlight Luminaires** (Not all ENERGY STAR LED fixtures qualify for rebates.) Rebates are based on one-for-one full fixture replacement with ENERGY STAR®-qualified LED hardwired and screw-in downlight luminaires. Rebates are based on total new fixture wattage. Fixture must be listed on ENERGY STAR's certified light fixtures list as a Downlight (recessed, surface mount or pendant).				
≤ 25W	Replace incandescent systems.	\$35/fixture		
26W – 50W		\$50/fixture		
LED Screw-in Lamps and LED Retrofit Kit Downlights <i>For invoices dated on or after February 1, 2015.</i>				
≤ 25W	ENERGY STAR-qualified screw-in LED lamps and LED Retrofit Kit Downlights are eligible for instant rebates at time of purchase from participating distributors. For more information, visit xcelenergy.com/Rebates , under the Lighting Efficiency program section.			
LED Wall Pack Fixtures** – Exterior and Parking Garage Installations (DLC QPL Required) Rebates are based on one-for-one replacement of HID wall packs with LED fixtures rated for exterior use. Rebates are based on total new fixture wattage. Replacement LED wall pack fixtures must be used for building exteriors or inside parking garages and must be attached to a wall. The program adopts the DLC definition: Typically walkway or security lights, affixed to building wall. May be box-shaped.				
Building exterior	≤ 25W	Replace HID systems. Replacement LED wall pack fixtures must be used for building exteriors or inside parking garages and must be attached to a wall (parking garage ceiling fixtures are not eligible for this rebate, but may qualify for may qualify for the LED Parking Garage Fixture rebate). Equipment must be hardwired and rated for exterior use.	\$35/fixture	
	26W – 60W		\$75/fixture	
	61W – 150W		\$100/fixture	
Parking garage	≤ 25W		\$35/fixture	
	26W – 60W		\$75/fixture	
	61W – 150W		\$100/fixture	
LED Troffer Fixtures and Retrofit Kits (DLC QPL Required) Rebates are based on a one-for-one replacement of existing linear fluorescent troffer systems. The program accepts LED troffer fixtures from the following DLC category: "1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces". The program accepts LED retrofit kits for troffer fixtures from the following DLC category: "Integrated-Style Retrofit Kits for 1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces". Linear ambient (or "strip") fixtures are not eligible in this category and should be submitted through the Custom Efficiency program				
LED Troffer Fixture	LED Troffer 2X4 Retrofit 30W – 90W	Replace fluorescent T8 existing fixtures. Troffers must replace like-sized fixtures; for example, a 1x4 must replace a 1x4.	\$50/fixture	
	LED Troffer 2x2 Retrofit 20W – 55W		\$50/fixture	
	LED Troffer 1X4 Retrofit 19W – 77W		\$50/fixture	
Retrofit Kit for LED Troffer Fixtures	LED Troffer Retrofit Kit 2X4 32W – 67W		\$30/fixture	
	LED Troffer Retrofit Kit 2X2 22W – 40W		\$30/fixture	
	LED Troffer Retrofit Kit 1X4 19W – 34W		\$30/fixture	
Refrigerated LED Case Lighting 5- and 6-foot Doors** (DLC QPL Required) Rebates are based on replacement of T12 or T8 linear 5- to 6-foot fluorescent refrigerated case door lighting with 5- to 6-foot LED refrigerated case door strip lighting. Rebates are per door, not per lamp. Linear LED tube lights do not qualify for this rebate, but can be considered under the Custom Efficiency program. The program adopts the DLC definition: Strip lights in refrigerator cases, vertically mounted along refrigerator case door mullions. Category covers only complete luminaires, with all necessary components. Replacement lamps are not currently eligible under this category.				
5- and 6-foot doors <input type="checkbox"/> Cooler Case <input type="checkbox"/> Freezer Case	Replace fluorescent T12 or T8 systems with LED Case Lighting	\$100/door		

**These rebates are available specifically for standard retrofit projects in which the lumen output of the proposed system is similar to the existing system and the energy savings is within a reasonably expected range. Retrofits with unusually large or small energy savings and/or lumen reductions must apply through the Custom Efficiency program and obtain preapproval prior to purchase. Contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 if you have questions regarding your specific application.

LED REBATE WORKSHEET (continued)				
EQUIPMENT (for interior installations unless noted otherwise)	SPECIFICATIONS	REBATE/ UNIT x	QTY =	REBATE
Exterior LED Fuel Pump Canopy Fixtures** (DLC QPL Required)				
Rebates are based on one-for-one replacement of HID canopy fixtures with LED fixtures rated for exterior use. Rebates are based on total new fixture wattage. The program adopts the DLC definition: Ceiling-mounted luminaires for use outdoors or in locations open to elements in gas station canopies. Equipment must be hard-wired and rated for exterior use. Fixtures can be installed in either the canopy or soffit of the gas station building structure.				
25W – 60W	Replace HID systems. Equipment must be hardwired and rated for exterior use.	\$150/fixture		
61W – 150W		\$200/fixture		
LED Parking Garage Fixtures (DLC QPL Required)				
Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. Rebates are based on a one-for-one replacement of HID equipment (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide). LED retrofit kits are not available for prescriptive rebates, but can be considered in the Custom Efficiency program. The program adopts the DLC definitions: Ceiling-mounted luminaires for use outdoors or in locations open to elements in multi-deck garages.				
25W – 60W	Replace HID systems; parking garage must be illuminated 24x7.	\$135/fixture		
LED High/Low Bay Fixtures and Retrofit Kits (DLC QPL Required)				
Rebates are available for new LED high/low bay lighting. New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on the installation of LED bay fixtures listed on the DLC QPL within the high-bay, low-bay, and high-bay aisle luminaires categories. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Strip, Wrap, or fixtures classified as linear ambient, do not qualify for this rebate but can be evaluated through Custom Efficiency.				
This program adopts the DLC definition for high/low-bay fixtures : Pendant, recessed, or surface-mounted fixtures specific for indoor ceiling spaces. This program adopts the DLC definition for high/low-bay retrofit kits : Integrated-style kits that replace all reflectors and optical systems of existing luminaires. Not screw-in “lamps” intended as HID replacements.				
LED High/Low Bay Fixtures	95W – 189W	Replace HID systems	\$135/fixture	
	190W – 290W	Replace HID systems	\$150/fixture	
	291W – 464W	Replace HID systems	\$200/fixture	
	465W – 625W	Replace HID systems	\$250/fixture	
Retrofit Kit for LED High/Low Bay Fixtures	95W – 189W	Replace HID systems	\$40/fixture	
	190W – 290W	Replace HID systems	\$50/fixture	
	291W – 464W	Replace HID systems	\$80/fixture	
	465W – 625W	Replace HID systems	\$160/fixture	
LED Linear Replacement Lamps. Rebates are based on one-for-one replacement of fluorescent T8 lamps with LED linear replacement lamps listed on the DLC QPL. LED linear replacement lamps installed in new construction must be submitted through the Custom Efficiency program.				
This program adopts the DLC definitions:				
Replacement Lamps (“plug and play”) (UL Type A). For invoices dated on or after December 7, 2015. Products in this category employ lamp holders to connect to the fixture being retrofitted and are designed to be “plug and play” replacements for fluorescent lamps. That is, products in this category can operate off an existing fluorescent ballast, and do not require mechanical or electrical changes to the fixture. Note that due to testing considerations, at this time only products that can operate off electronic instant start ballasts are eligible. Replacement lamps designed to operate off existing magnetic ballasts, or off other types of electronic ballasts, are not eligible. Dual Mode Internal Driver Lamps (UL Type A/B) are allowed in this category if installed as a “plug and play”, operating off an existing fluorescent ballast.				
Internal-Driver/Line Voltage Linear Lamp-Style Retrofit Kits (UL Type B). For invoices dated on or after July 1, 2016. Invoices dated prior to this date must be submitted through the Custom Efficiency program. Products in this category employ lamp holders to connect to the fixture being retrofitted, but do not operate off the existing fluorescent ballast. These products require rewiring of the existing fixture to bypass the ballast and send line voltage directly to the lamp holders. Dual Mode Internal Driver Lamps (UL Type A/B) are allowed in this category if installed directly to line voltage.				
External-driver Lamp-Style Retrofit Kits (UL Type C). For invoices dated on or after December 7, 2015. Products in this category employ lamp holders to connect to the fixture being retrofitted, do not operate off the existing fluorescent ballast, and require rewiring of the existing fixture to replace the ballast with an external driver. The lamp holders are then wired to receive only the low-voltage electricity that is supplied by that external driver.				
	Number of Lamp Configurations	(See DLC Replacement Lamps page for more detail on testing requirements).		
Four Foot	1, 2, 3, 4			
Two Foot	1 and 3			
LED Linear Tube – Type A and Dual Mode Type A/B, 2’	2’ T8 Fluorescent replacement fixture	\$2/tube		
LED Linear Tube – Type A and Dual Mode Type A/B, 4’	4’ T8 Fluorescent replacement fixture	\$4/tube		
LED Linear Type - Type B and Dual Mode Type A/B, 4’	4’ T8 Fluorescent replacement fixture	\$6/tube		
LED Linear Tube – Type C, 2’	2’ T8 Fluorescent replacement fixture	\$6/tube		
LED Linear Tube – Type C, 4’	4’ T8 Fluorescent replacement fixture	\$10/tube		
SUBTOTAL FOR LED REBATES				

LED REBATE WORKSHEET (continued)

Prescriptive rebates are available for the specified exterior equipment listed below. If your project does not fit one of the descriptions below, it may still qualify for a Custom Efficiency. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for Custom Efficiency lighting project review prior to beginning the project.

REPLACEMENT FIXTURE INSTALLED	PREVIOUS FIXTURE REPLACED	REBATE/ UNIT x	QTY =	REBATE
LED Street Lighting (DLC QPL Required)				
Rebates are based on one-for-one replacement of exterior HID fixtures with LED fixtures rated for exterior use. Rebates are based on total new fixture wattage. New Fixtures must be listed on the current DLC QPL in either the 1) Outdoor Pole/Arm-Mounted Area and Roadway Luminaire or 2) Outdoor Pole/Arm-Mounted Decorative Luminaire categories to qualify for rebate. Customers must be on an A34 Street Light Rate to qualify for LED Street Lighting rebate.				
LED Street Lighting	30W – 55W	Replace HID systems	\$30	
	56W – 109W	Replace HID systems	\$50	
	110W – 139W	Replace HID systems	\$75	
	140W – 209W	Replace HID systems	\$100	
LED Outdoor Area Lighting (DLC QPL Required)				
Rebates are based on one-for-one replacement of exterior HID fixtures with LED fixtures rated for exterior use. Rebates are based on total new fixture wattage. New fixtures must be listed on the current DLC QPL in either the 1) Outdoor Pole/Arm-Mounted Area and Roadway Luminaire or 2) Bollard categories to qualify for rebates.				
LED Outdoor Area Lighting	45W – 89W	Replace HID systems	\$25	
	90W – 140W	Replace HID systems	\$50	
SUBTOTAL FOR STREET AND AREA LIGHTING REBATES				

STANDALONE AUTOMATIC CONTROL REBATE WORKSHEET

Prescriptive rebates are available for the interior equipment listed below. If your project does not fit one of the descriptions below, it may still qualify for a Custom Efficiency rebate. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for Custom Efficiency lighting project review prior to beginning the project.

EQUIPMENT (for interior installations unless noted otherwise)	SPECIFICATIONS	REBATE/ UNIT x	QTY =	REBATE
Occupancy Sensors, Photocells and Stairwell Fixtures				
Occupancy sensors may be wall or ceiling mounted; they can be passive infrared, ultrasonic or dual technology sensors. Rebate is based on the type of sensor (wall vs. ceiling mount) as well as the connected load of each sensor. The fixture cannot exceed 35% of full wattage during unoccupied periods. Low mode setting should be chosen so that the surface illumination levels are code compliant. Photocells can only qualify for a rebate when controlling interior fixtures.				
Wall Mount Occupancy Sensor	50W – 300W connected load	Rebate level is based on the connected load (watts)/ sensor. Must be permanently installed. Controlling interior fixtures only. If the combination of Occupancy Sensor and Photocell are used on the same equipment, apply for a rebate through our Custom Efficiency program.	\$15/sensor	
	301W or greater		\$25/sensor	
Ceiling or Fixture Occupancy Sensor	50W – 300W connected load		\$30/sensor	
	301W or greater		\$40/sensor	
Photocell		\$25/photocell		
Bi-level Stairwell Fixture with Integrated Sensor	Replace a 2-lamp T8 fixture with a 2 – 3 lamp T8 fixture or a 20W – 30W LED fixture with an integrated occupancy sensor or step-dimming ballast.	\$25/fixture		
SUBTOTAL FOR AUTOMATIC CONTROL REBATES				

FLUORESCENT REBATE WORKSHEET				
EQUIPMENT (for interior installations unless noted otherwise)	SPECIFICATIONS	REBATE/ UNIT x	QTY =	REBATE
Lighting Optimization Rebates are based on the permanent removal of the equivalent of at least one 4-foot (T8) lamp from an 8-foot or 4-foot fixture as a result of a retrofit. Rebate amount is per fixture, based on the final quantity of lamps installed in each fixture. Reducing the quantity of fixtures does not qualify. In order to qualify, the fixture must be retrofitted such that the existing ballast(s) must be disconnected and removed, a new lamp-quantity appropriate high-efficiency electronic ballast is installed, and the sockets for the eliminated lamps are removed. In addition, the customer may not remove more than 50% of the existing lamp quantity (e.g., replacing a 3-lamp system with a 1-lamp system is not allowed). High-efficiency electronic ballasts are required for all 4-foot T8 optimization rebates. You can find a list of qualified ballasts at cee1.org . Customer must sign the line below the optimization rebate on page 4 to verify that optimization has occurred. Although Xcel Energy recommends customer follow IES guidelines, the final light levels are the responsibility of the customers.				
Lamp removal in T8 systems. <i>Must include high-efficiency electronic ballasts.</i>	per fixture	T8 – T8	\$12/fixture	
Optimization Statement: The undersigned verifies that there was a permanent removal of lamps, ballasts and sockets in the system being rebated and permission is granted to Xcel Energy to verify the changeout at Xcel Energy's discretion. SIGN HERE (Required):				
Low-Wattage Fluorescent T8 lamps Rebates are based on replacing 32W T8 lamps with 28W or 25W lamps.				
4 foot; ≤ 28W	per lamp	Replace 32W T8 lamp	\$0.50/lamp	
High-Bay Fluorescent Fixtures with High-Efficiency Electronic Ballasts Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 175W to 1000W. Rebates are available for T8, T8VHO systems or T5HO systems as shown on page 3 of this application. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 4-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.				
2-lamp T5HO, 3-lamp T5HO, 4-lamp T8		Replace HID* 175W – 250W lamp systems	\$85/fixture	
3-lamp T8VHO, 4- to 6-lamp T5HO, 6- to 8-lamp T8		Replace HID* 310W – 400W lamp systems	\$125/fixture	
6-lamp T8VHO, 8-lamp T5HO, 12- to 16-lamp T8		Replace HID* 750W lamp systems	\$175/fixture	
8-lamp T8VHO, 10-lamp T5HO, 18- to 20-lamp T8		Replace HID* 1000W lamp systems	\$175/fixture	
<i>Must include high-efficiency electronic ballasts.</i>				
Parking Garage Fluorescent fixtures with High-Efficiency Electronic Ballasts Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 150W to 175W. Rebates are available for T8 or T5HO systems. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 3-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.				
4 foot	2- and 3-lamp	Replace HID* systems (150W or 175W) with T5HO or T8. <i>Must include high-efficiency electronic ballasts.</i>	\$85/fixture	
Parking Garage Low-Wattage Fluorescent T8 Lamps Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. Rebates are based on a one-for-one replacement of HID fixtures (including mercury vapor, high-pressure sodium, metal halide, or pulse-start metal halide) ranging in size from 150W to 175W. Rebates are available for T8 or T5HO systems. High-efficiency electronic ballasts are required for all fixtures using 4-foot, 4-lamp or less T8 ballasts. Other fixture configurations will be considered under the Custom Efficiency program.				
4 foot, ≤ 28W	per lamp	Replace 32W T8 lamp	\$0.50/lamp	
Hardwired or Modular Compact Fluorescent Fixtures (Does not include screw-base CFLs)** Rebates are based on one-for-one replacement of incandescent fixtures with new hard-wired (dedicated) or modular fixtures containing pin-based compact fluorescent lamps (CFLs). For fixtures that house more than one lamp, the rebate is based on the total new fixture wattage (i.e., one fixture that houses (2) 18W CFLs would be rebated as (1) 36W CFL fixture.) Screw-base (integral) CFLs do not qualify. Two-foot, low-wattage CFL rebate is paid per lamp.				
≤ 18W		Replace incandescent systems with hardwired or modular CFL systems that use 3 – 5 times less energy (e.g., a 20W CFL can replace a 60W – 100W incandescent). Does not include screw-base CFLs.	\$25/fixture	
19W – 32W			\$30/fixture	
33W or greater			\$35/fixture	
2-foot Low Wattage CFL 25W – 28W	1-lamp	Replaces a 40W 2 foot CFL	\$0.50/lamp	
SUBTOTAL FOR FLUORESCENT REBATES				

HIGH-INTENSITY DISCHARGE WORKSHEET

Ceramic Metal Halide Fixtures**

Rebates are based on one-for-one replacement of incandescent, halogen, mercury vapor, high-pressure sodium, metal halide, or pulse start metal halide fixtures. Ceramic metal halide lamp wattage must be lower than existing lamp wattage and must be a full fixture replacement.

≤ 150W	Replace incandescent, halogen, high-pressure sodium, metal halide or mercury vapor with ceramic metal halide systems.	≤ 175W	\$50/fixture		
150W – 250W		200W – 400W	\$80/fixture		
Greater than 250W		400W – 1000W	\$100/fixture		
20W – 25W Integrated Ceramic Metal Halide lamps	Replace 75W – 150W incandescents or halogens with integrated ceramic metal halide lamps.		\$25/fixture		

High Pressure Sodium Fixtures**

Rebates based on one-for-one replacement of incandescent or mercury vapor fixtures. High pressure sodium lamp wattage must be lower than existing lamp wattage and must be a full fixture replacement.

151W – 250W		\$30/fixture		
250W or greater		\$45/fixture		

Pulse-Start Metal Halide Fixtures**

Rebates based on one-for-one replacement of incandescent or mercury vapor fixtures. Pulse-start lamp wattage must be lower than existing lamp wattage and must be a full fixture replacement

≤ 175W		\$60/fixture		
175W – 319W		\$90/fixture		
319W – 749W		\$100/fixture		
Greater than 749W		\$120/fixture		

SUBTOTAL FOR HIGH-INTENSITY DISCHARGE REBATES

TOTAL REBATE

Facility Characteristics

Is the space air conditioned where the energy-efficient lighting will be installed? Air Conditioned Heat Only No Air Conditioning or Heat

Please indicate the primary use for this location:

- | | | |
|---|---|--------------------------------------|
| <input type="checkbox"/> 24-hour facility | <input type="checkbox"/> Healthcare office/out-patient | <input type="checkbox"/> Office |
| <input type="checkbox"/> Big box retail/grocery | <input type="checkbox"/> Hospital | <input type="checkbox"/> Restaurant |
| <input type="checkbox"/> College/university | <input type="checkbox"/> Hotel/motel | <input type="checkbox"/> Retail |
| <input type="checkbox"/> Continuous lighting required by code | <input type="checkbox"/> Manufacturing | <input type="checkbox"/> Warehouse |
| <input type="checkbox"/> Elementary/secondary school | <input type="checkbox"/> Nighttime/external LED fixtures (canopy/soffit or wallpack only) | <input type="checkbox"/> Other _____ |

REMOVED LIGHTING		FIXTURE QTY
Fluorescent T8 – 4-foot 32W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Ballast factor _____	1-lamp	
	2-lamp	
	3-lamp	
	4-lamp	

		LAMP QTY
Fluorescent T8 lamp <input type="checkbox"/> 2-foot lamp <input type="checkbox"/> 4 foot lamp <input type="checkbox"/> Linear <input type="checkbox"/> U-bend Ballast factor _____ Wattage per lamp _____		

HIGH-EFFICIENCY LIGHTING		FIXTURE QTY
Fluorescent T8 – 4 foot 32W <i>Must have high-efficiency electronic ballasts.</i> Ballast factor _____ Ballast make/model no. _____	1-lamp	
	2-lamp	
	3-lamp	
	4-lamp	

Low-wattage T8 lamp – 4-foot 28W Ballast factor _____	
Low-wattage T8 lamp – 4-foot 25W Ballast factor _____	

High-Bay and Parking Garage Fluorescent (Please indicate the number of lamps in the first box to the right.) Ballast factor _____ Ballast make/model no. _____ <i>Must have high-efficiency electronic ballasts.</i>	T8	
	T8	
	T8VHO	
	T5HO	
	T5HO	

LED Troffer (DLC QPL Required) Wattage per fixture _____	
LED Troffer Retrofit Kit (DLC QPL Required) Wattage per kit _____	

		LAMP QTY
LED Linear Replacement Lamps	Replacement lamps (UL Type A) <input type="checkbox"/> Linear <input type="checkbox"/> U-bend Ballast factor _____ Wattage per lamp _____	2-foot
		4-foot
	Internal-Driver/Line Voltage Linear Lamp-Style Retrofit Kits (UL Type B) Wattage per lamp _____	4-foot
	External-driver lamp style retrofit kits (UL Type C) Wattage per lamp _____	2-foot
		4-foot

		FIXTURE QTY
Bi-level Stairwell fixture <input type="checkbox"/> T8: Number of lamps ____ Length of lamps _____ <input type="checkbox"/> On/Off or <input type="checkbox"/> Dimming <input type="checkbox"/> LED: Fixture wattage _____ Percent Dimming _____		

Incandescent Wattage per lamp _____ Number of lamps _____	
Incandescent Wattage per lamp _____ Number of lamps _____	
Incandescent Wattage per lamp _____ Number of lamps _____	

Hardwired or modular CFL fixtures 18W or less wattage per fixture _____	
Hardwired or modular CFL fixtures 19W – 32W wattage per fixture _____	
Hardwired or modular CFL fixtures 33W or greater wattage per fixture _____	
2-foot Low Wattage CFL 25W - 32W Wattage per lamp _____	
ENERGY STAR-qualified Interior LED Downlight Luminaires Wattage per fixture _____	

High-Intensity Discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-Intensity Discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-Intensity Discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-Intensity Discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	
High-Intensity Discharge (HID) <input type="checkbox"/> High-pressure sodium <input type="checkbox"/> Mercury vapor <input type="checkbox"/> Metal halide <input type="checkbox"/> Pulse-start metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast Wattage per lamp _____ Number of lamps _____	

High-Intensity Discharge (HID) <input type="checkbox"/> Metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Ceramic metal halide <input type="checkbox"/> Pulse-start metal halide Wattage per lamp _____ Number of lamps _____	
High-Intensity Discharge (HID) <input type="checkbox"/> Metal halide <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Electronic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Ceramic metal halide <input type="checkbox"/> Pulse-start metal halide Wattage per lamp _____ Number of lamps _____	
Exterior LED Fuel Pump Canopy Fixtures (DLC QPL Required) Wattage per fixture _____	
Exterior LED Wall Pack Fixtures (DLC QPL Required) Wattage per fixture _____	
LED Parking Garage Fixture (DLC QPL Required) Wattage per fixture _____	
LED Area Lighting (DLC QPL Required) Wattage per fixture _____	
LED Street Lighting (DLC QPL Required) Wattage per fixture _____	
LED High Bay Fixture Wattage per fixture _____	
LED High Bay Retrofit Kit Wattage per kit _____	

Incandescent Exit Signs Wattage _____	
--	--

<input type="checkbox"/> LED Exit Signs <input type="checkbox"/> LEC Exit Signs	
---	--

Fluorescent Refrigerated or Freezer Case Lighting <input type="checkbox"/> 5-foot <input type="checkbox"/> 6-foot <input type="checkbox"/> T8 <input type="checkbox"/> Cooler Case <input type="checkbox"/> Freezer <input type="checkbox"/> T12 Wattage/Door _____	
--	--

LED Refrigerated or Freezer Case Lighting (DLC QPL Required) Wattage per door _____	
--	--

Connected Load 1	Connected Load 2	Connected Load 3
Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____	Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____	Occ sensor type <input type="checkbox"/> Wall <input type="checkbox"/> Ceiling <input type="checkbox"/> Photocell Occ sensor quantity _____
Connected load on each sensor: Fixture quantity _____ Fixture type (ie: LED, T8, etc.) _____ Fixture wattage _____	Connected load on each sensor: Fixture quantity _____ Fixture type (ie: LED, T8, etc.) _____ Fixture wattage _____	Connected load on each sensor: Fixture quantity _____ Fixture type (ie: LED, T8, etc.) _____ Fixture wattage _____

How to Apply

1. Rebate Application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized Invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self-installed, please include a labor cost based on the install time and rate of pay of the installer.

3. Specifications (if applicable)

If you are applying for a rebate for measures that are required to be ENERGY STAR or DLC qualified, you must include a screenshot of the product's listing on the applicable website showing details.

ENERGY STAR and DesignLights Consortium Qualified Product Lists

Xcel Energy requires that all LED products to be listed on either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) to earn a prescriptive rebate. Prescriptive products that are not listed on the DLC QPL can be evaluated under the Custom Efficiency program.

The DLC promotes quality, performance and energy-efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. Visit [designlights.org/QPL](https://www.designlights.org/QPL) to search for qualified commercial products. **For the technical requirements to be listed on the DLC QPL, please visit this website: <https://www.designlights.org/content/QPL/ProductSubmit/CategorySpecifications>.**

ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty. Visit energystar.gov/products to search for qualified commercial products.

4. Submittal

Please submit forms to your account manager (if applicable). If you do not have an Xcel Energy account manager, please email your forms to: energyefficiency@xcelenergy.com (preferred), or fax to 800.311.0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and Requirements

Xcel Energy provides energy efficiency rebates for the purchase and installation of qualifying lighting equipment in your existing building. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact your Xcel Energy account manager or call our Business Solutions Center at 855.839.8862 for custom lighting project review prior to beginning the project.

Customer Qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check the Xcel Energy website (xcelenergy.com) to verify eligibility. Residential customers—please contact Xcel Energy at 800.895.4999 to learn about our residential energy efficiency programs.

Eligibility Requirements

- New interior lighting equipment must operate during weekday peak-demand hours (9:00 a.m. – 9:00 p.m.). With the exception of LED exterior fuel pump canopy, street and area lighting and wall pack fixtures, equipment that only operates at night must be preapproved through the Custom Efficiency program.

- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased, installed and operating prior to submitting an application for a rebate.
- These rebates assume a one-for-one replacement of fixtures (in retrofit situations) that will result in energy savings.
- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 12 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please talk with your account manager or call our Business Solutions Center at 855.839.8862 for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of form may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. Customer should keep a sample of any/all types of equipment removed, for a period of three (3) months after receiving a rebate from Xcel Energy. If the inspection finds that you didn't comply with program rules and standards, any rebate you have received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of changes and cancellation. The customer and contractor are responsible for checking with their account manager or call our Business Solutions Center at 855.839.8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize your participation in this program, unless you specifically request otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels. Information can be found at iesna.org.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. You can find the list of participating retailers at xcelenergy.com/BulbFinder.

Warranty Information

Xcel Energy:

- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.