

Prescriptive Program Rebate Application

Check the appropriate program box for your rebate.

- Cooling
 FSO (Fluid System Optimization)
 Foodservice Equipment
 Heating
 Lighting
 Motors & Drives

Customer Information

Xcel Energy premises numbers: Electric: _____ and/or Gas: _____

Company Name _____ Date submitted _____

Installation address _____ City _____ State _____ ZIP _____

Mailing address _____ City _____ State _____ ZIP _____
(For rebate if different from installation address)

Contact Name (PRINT) _____ Phone _____

Contact Email* _____ Fax _____

Equipment location description (REQUIRED) _____

The total project cost: \$ _____
(Acceptable expenses include equipment and labor and do not include tax, freight or shipping costs.)

Customer Signature _____ Date _____

This signature is required from the individual tied to the Xcel Energy premises number herein. By signing here, I acknowledge the information in this application is accurate and complete. I confirm I have read, agree with and understand the terms and conditions on page 2 of this application. I also authorize Xcel Energy to provide a copy of the project preapproval notification to the equipment supplier or vendor so as to expedite the project process.

Alternative Rebate Recipient

Complete this section only if the customer wants the rebate check to go to someone other than the customer contact tied to the premises number above.

Company Name _____ Contact name _____

Address _____ Phone _____

City _____ State _____ ZIP _____

I authorize the above company to receive the rebate check for this project.

Customer Signature _____ Date _____

Xcel Energy account representative name _____ Signature _____

Trade Partner Information (Vendor/Contractor Information)

Company Name _____ Trade Partner ID# _____

Contact Name (PRINT) _____

Address _____ City _____ State _____ ZIP _____

Contact email* _____ Phone _____

*By providing your email address, you are granting Xcel Energy permission to send updates or questions via email regarding this project as well as future emails regarding our programs and services.

LED REBATE WORKSHEET				
EQUIPMENT	SPECIFICATIONS	REBATE/UNIT x	QTY =	REBATE
LED Downlights (Not all ENERGY STAR® LED fixtures qualify for rebates)				
Rebates are available for new ENERGY STAR-qualified commercial LED hardwired downlight luminaires. Rebates are based on total new fixture wattage. Fixture must be a commercial downlight; not all products listed qualify for rebates.				
≤ 25W	LED downlight wattage per fixture _____	\$25/fixture		
26W – 50W		\$40/fixture		
LED Screw-in Lamps and LED Retrofit Kit Downlights <i>For invoices dated on or after February 1, 2015.</i>				
ENERGY STAR-qualified screw-in LED lamps and LED retrofit kit downlights are available for instant rebates at time of purchase through participating distributor. Visit xcelenergy.com/TradePartners to learn more.				
Refrigerated LED Case Lighting (DLC QPL Required)				
Rebates are available for new five to six foot LED refrigerated case door strip lighting. Rebates are per door, not per lamp. The program adopts the DLC definition: Strip lights in refrigerator cases, vertically mounted along refrigerator case door mullions. Category covers only complete luminaires, with all necessary components. Replacement lamps are not currently eligible under this category.				
5- or 6-foot doors <input type="checkbox"/> Refrigerated Case <input type="checkbox"/> Freezer Case		\$70/door		
LED Wall Pack Fixtures – Exterior and Parking Garage Installations (DLC QPL Required)				
Rebates are available for new LED Wall Pack fixtures that are rated for exterior use. Rebates are based on total new fixture wattage. The program adopts the DLC definition: Typically walkway or security lights, affixed to building wall. May be box-shaped. Does not include parking garage ceiling fixtures.				
≤ 25W	LED wall pack fixtures wattage per fixture _____	\$15/fixture		
25W – 60W		\$30/fixture		
Greater than 60W		\$50/fixture		
Exterior LED Fuel Pump Canopy Fixtures (DLC QPL Required)				
Rebates are available for new LED Canopy fixtures that are rated for exterior use. Rebates are based on total new fixture wattage. The program adopts the DLC definition: Ceiling-mounted luminaires for use outdoors or in locations open to elements in gas station canopies. Equipment must be hard-wired and rated for exterior use. Fixtures can be installed in either the canopy or soffit of the gas station building structure.				
25W – 60W	LED Canopy Fixture wattage per fixture _____	\$50/fixture		
61W – 150W		\$100/fixture		
LED Troffer Fixtures (DLC QPL Required)				
New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on installing eligible LED fixture types are 2X2, 2X4, 1X4. The program accepts troffer fixtures and retrofit kits from the following DLC categories: “1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces” and “Integrated-Style Retrofit Kits for 1x4, 2x2, and 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces”. The program adopts the DLC definition: common recessed, suspended or surface-mounted fixtures intended to provide ambient lighting in settings such as office spaces, schools, retail stores and other commercial environments. Products submitted in these categories must be 2x2, 2x4, 1x4 fixtures or retrofit kits and meet the stated form factors with a tolerance of ±4 inches.				
2x4 - 30W – 90W	LED Troffer Fixture wattage per fixture _____	\$30/fixture		
2x2 - 20W – 76W				
1x4 - 19W – 77W				
LED Parking Garage Fixtures (DLC QPL Required)				
Eligible parking garage structures need to be either underground or semi-enclosed above ground. The lighting within the garage must operate 24 hours a day. New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on the installation of new LED parking garage fixtures. The program adopts the DLC definitions: Ceiling mounted luminaires for use outdoors or in locations open to elements in multi-deck garages.				
25W – 60W	LED Parking Fixture wattage per fixture _____	\$50/fixture		

LED REBATE WORKSHEET continued

EQUIPMENT	SPECIFICATIONS	REBATE/UNIT x	QTY =	REBATE
-----------	----------------	---------------	-------	--------

LED Area Lighting Fixtures (DLC QPL Required).
 Rebates are available for new LED Area Fixtures. Area Lighting is to be used in exterior applications only. New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on the installation of new LED Area lighting fixtures.

45W – 65W	LED Area Lighting Fixture wattage per fixture _____	\$15/fixture		
65W – 85W		\$15/fixture		
90W – 110W		\$30/fixture		
120W – 140W		\$30/fixture		

LED Street Lighting Fixtures (DLC QPL Required).
 Rebates are available for new LED Street Lighting Fixtures. New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on the installation of new LED street lighting fixtures. The program adopts the DLC Definition: Typical street lights, parking lot light. May be cobra-head shaped, shoe-box, etc. Customers must be on an A34 Street Light Rate to qualify for LED Street Lighting rebate.

30W – 35W	LED Street Lighting Fixture wattage per fixture _____	\$15/fixture		
45W – 55W		\$15/fixture		
55W – 65W		\$25/fixture		
80W – 105W		\$25/fixture		
110W – 130W		\$50/fixture		
140W – 209W		\$75/fixture		

LED High/Low Bay Lighting Fixtures (DLC QPL Required) *For invoices dated on or after December 7, 2015.*
 Rebates are available for new LED high/low bay lighting. New fixtures must be listed on the current DLC QPL to qualify for rebates. Rebates are based on the installation of LED bay fixtures listed on the DLC QPL within the high-bay, low-bay, and high-bay aisle luminaires categories. Rebates are based on total new fixture wattage. If wattage is in question, please reference the DLC listed wattage. Strip, Wrap, or fixtures classified as linear ambient, do not qualify for this rebate but can be evaluated through Custom Efficiency.
 This program adopts the DLC definition for high/low-bay fixtures: Pendant, recessed, or surface-mounted fixtures specific for indoor ceiling spaces.

≤ 165W	LED High/Low Bay Fixture wattage per fixture _____	\$125/fixture		
190W – 260W		\$140/fixture		
344W – 460W		\$165/fixture		
465W – 625W		\$175/fixture		

SUBTOTAL FOR LED REBATES

HIGH INTENSITY DISCHARGE WORKSHEET

EQUIPMENT	SPECIFICATIONS	REBATE/UNIT x	QTY =	REBATE
-----------	----------------	---------------	-------	--------

Ceramic Metal Halide Fixtures
 Rebates are based on the installation of a ceramic metal halide fixture.

≤ 150W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$45/fixture		
151W – 250W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$55/fixture		
251W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$20/fixture		
20W – 25W Integrated Ceramic Metal Halide Lamps with Electronic Ballast wattage per fixture _____		\$15/fixture		

Pulse Start Metal Halide
 Rebates are based on the installation of a pulse start metal halide fixture.

176W – 319W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$12/fixture		
320W – 749W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$12/fixture		
≥ 750W <input type="checkbox"/> Magnetic ballast <input type="checkbox"/> Energy-saving magnetic ballast <input type="checkbox"/> Electronic ballast wattage per fixture _____		\$28/fixture		

SUBTOTAL FOR HIGH INTENSITY DISCHARGE REBATES

FLUORESCENT REBATE WORKSHEET

EQUIPMENT	SPECIFICATIONS	REBATE/UNIT x	QTY =	REBATE
-----------	----------------	---------------	-------	--------

Low-Wattage Fluorescent T8 lamps
 Rebates are based on the installation of 4-foot T8 lamps less than or equal to 28W. Rebate is based on the number of lamps.

4 foot; 28W or less	Ballast factor _____ Ballast make/model no. _____	\$0.50/lamp		
---------------------	---	-------------	--	--

High Bay Fluorescent Fixtures with High-Efficiency Electronic Ballasts
 Rebates are available for T8, T8VHO systems or T5HO systems. Must include high-efficiency electronic ballasts. Other fixture configurations will be considered under the Custom Efficiency program. Ballasts: must have a ballast efficacy factor (BEF) at least as high as the factors shown in the table below. You can find a list of qualified ballasts at cee1.org.

High-bay fluorescent Ballast factor _____ Ballast make/model no. _____ Must include high-efficiency electronic ballasts.	4-lamp T5HO	\$40		
	6-lamp T5HO			
	6-lamp T8			
	8-lamp T8	\$40		
	8-lamp T5HO			
	6-lamp T8VHO			
	12-lamp T8			
	16-lamp T8	\$65		
	10-lamp T5HO			
	8-lamp T8VHO			
	18-lamp T8			
	20-lamp T8			

Hardwired or Modular Compact Fluorescent Fixtures (Does not include screw-base CFLs)
 Rebates are available for new hard-wired (dedicated) or modular fixtures containing pin based compact fluorescent lamps (CFLs). For fixtures that house more than one lamp, the rebate is based on the total new fixture wattage (i.e., one fixture that houses (2) 18W CFLs would be rebated as (1) 36W CFL fixture.) Screw-base (integral) CFLs do not qualify. Two-foot, low-wattage CFL rebate is paid per lamp.

≤ 18W	wattage per lamp _____ <input type="checkbox"/> energy-saving magnetic ballast	# of lamps per fixture _____ <input type="checkbox"/> electronic ballast	\$10		
19W – 32W	wattage per lamp _____ <input type="checkbox"/> energy-saving magnetic ballast	# of lamps per fixture _____ <input type="checkbox"/> electronic ballast	\$15		
33W or greater	wattage per lamp _____ <input type="checkbox"/> energy-saving magnetic ballast	# of lamps per fixture _____ <input type="checkbox"/> electronic ballast	\$20		
2-foot Low Wattage CFL 25W			\$0.50/lamp		

SUBTOTAL FOR FLUORESCENT REBATES

TOTAL REBATE

Facility Characteristics

Is the space air conditioned where the energy-efficient lighting will be installed?

Air Conditioned Heat Only No Air Conditioning or Heat

Please indicate the primary use for this location:

<input type="checkbox"/> Office	<input type="checkbox"/> Big Box Retail/Grocery	<input type="checkbox"/> Healthcare Office/Out-patient	<input type="checkbox"/> Manufacturing
<input type="checkbox"/> Restaurant	<input type="checkbox"/> Elementary/Secondary School	<input type="checkbox"/> Hospital	<input type="checkbox"/> Warehouse
<input type="checkbox"/> Retail	<input type="checkbox"/> College/University	<input type="checkbox"/> Hotel/Motel	<input type="checkbox"/> Nighttime Exterior
			<input type="checkbox"/> Other/Misc. _____

Does your facility have a garage? Yes No

Does the lighting in this facility operate 24 hours a day? Yes No

How to Apply

1. Rebate Application

Complete the rebate application. All information needs to be supplied before a rebate check can be issued.

2. Itemized Invoice

Include detailed installation invoice that includes:

- Invoice number and date
- Customer premises number or installation address
- Manufacturer names and model numbers for installed equipment
- Equipment quantities
- Equipment cost per unit
- Labor cost listed separately from equipment costs. If equipment was self installed, please include a labor cost based on the install time and rate of pay of the installer. Please reference Example A for further clarification.

3. Specifications (if applicable)

If you are applying for a rebate for measures that are required to be ENERGY STAR or DLC qualified, you must include a screenshot of the product's listing on the applicable website showing details.

ENERGY STAR and DesignLights Consortium Qualified Product Lists

Xcel Energy requires that all LED products to be listed on either ENERGY STAR or DesignLights Consortium (DLC) Qualified Product Lists (QPL) to earn a prescriptive rebate. Prescriptive products that are not listed on the DLC QPL can be evaluated under the Custom Efficiency program.

The DLC promotes quality, performance and energy efficient commercial sector lighting solutions through collaboration among its federal, regional, state, utility, and energy efficiency program members; luminaire manufacturers; lighting designers and other industry stakeholders throughout the U.S. Visit designlights.org/QPL to search for qualified commercial products. **For the technical requirements to be listed on the DLC QPL, please visit this website:**

www.designlights.org/content/QPL/ProductSubmit/CategorySpecifications.

ENERGY STAR promotes energy savings, highest quality of products, reduced maintenance costs, cooling costs, and guaranteed minimum three-year warranty.

Visit energystar.gov/products to search for qualified commercial products.

Please email your forms to: energyefficiency@xcelenergy.com (preferred), or fax to 1-800-311-0050, or mail to: Xcel Energy, Energy Efficiency Specialists, P.O. Box 8, Eau Claire, WI 54702.

Rules and Requirements

Xcel Energy provides energy efficient rebates for the purchase and installation of new, qualifying lighting equipment in your new building, new addition to an existing building, or major renovation of an existing building (where a completely new lighting layout has been created with no one-for-one replacements). Rebates are based on total new fixture wattage. Additional lighting rebates, not listed on this application, may be available through our Custom Efficiency program which requires preapproval prior to project initiation and purchase of equipment. Please contact your Xcel Energy representative or the Business Solutions Center at 1-855-839-8862 for Custom Lighting project review prior to beginning the project.

Customer Qualifications

This program applies to customers with a valid Xcel Energy commercial account in our Minnesota electric service territory. Check xcelenergy.com to verify eligibility. Residential customers—please contact Xcel Energy at 1-800-895-4999 to learn about residential energy efficiency programs.

Eligibility Requirements

- New lighting equipment must operate during weekday peak-demand hours (9:00 a.m. – 9:00 p.m.). Lights that operate at night except for exterior LED fuel pump canopy, street lights, area lights, and wall packs must be preapproved through the Custom Efficiency program.
- Rebate items must be installed on the Xcel Energy electric account listed on the application.
- All equipment must be new; used or rebuilt equipment is not eligible for a rebate.
- Equipment must meet specification requirements and be purchased and operating prior to submitting an application for a rebate.
- Rebates cannot exceed 60 percent of the project cost (including equipment and labor). The minimum rebate is \$5.
- A signed application and detailed installation invoice(s) must be submitted to Xcel Energy **within 12 months of the invoice date**. Invoice(s) submitted must include itemized quantity, price, manufacturer's make and model numbers, and product codes for each material item and original equipment manufacturer (OEM) specification sheets. Please speak with your account manager or call our Business Solutions Center for additional date restriction details.
- Xcel Energy is not responsible for any lost, late, stolen, ineligible, illegible, misdirected or postage-due mail. All completed submissions become the property of Xcel Energy and will not be returned. Warning: Fraudulent submission of forms may result in federal prosecution for mail fraud under 18 USC section 1341, 1342.
- Once completed paperwork is submitted, incentive payments are usually made in six to eight weeks. Xcel Energy will issue rebates in the form of checks, not utility bill credits.
- Equipment must meet the technical requirements listed in this application form. Xcel Energy reserves the right to withhold payment for products that do not meet the requirements.
- Xcel Energy reserves the right to inspect customer facility(ies) for installation of materials listed on this rebate application and will need access to survey the installed project. If the inspection finds that you didn't comply with program rules and standards, any rebate you have received must be returned to Xcel Energy.
- Xcel Energy's conservation rebate programs are subject to 60 days notice of cancellation. The customer and contractor are responsible for checking with the Business Solutions Center at 1-855-839-8862 to ask whether or not the program is still in effect and to verify program parameters.
- Xcel Energy reserves the right to publicize your participation in this program, unless you specifically request otherwise.
- Xcel Energy reserves the right to refuse payment and participation if the customer or contractor violates program rules and procedures. Xcel Energy is not liable for rebates promised to customers as a result of a contractor misrepresenting the program.
- Xcel Energy recommends Illuminating Engineering Society (IES) light levels.
- Purchases made from a participating retail location do not qualify for a Lighting Efficiency Rebate. You can find the list of participating retailers at xcelenergy.com/BulbFinder.

Warranty Information

Xcel Energy:


- a. Does not endorse any particular manufacturer, product or system design by offering these rebates;
- b. Will not be responsible for any tax liability imposed on the customer as a result of the payment of rebates;
- c. Does not expressly or implicitly warrant the performance of installed equipment (contact your contractor for detailed equipment warranties);
- d. Is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
- e. Is not liable for any damage caused by the operation or malfunction of the installed equipment; and
- f. Does not guarantee that a specific level of energy or cost savings will result from the implementation of energy conservation measures or the use of products funded under this program.

Minimum Requirements for Ballast Efficacy Factor (BEF)

INSTANT START BALLAST (BEF)			
Lamps	Low (BF ≤ 0.85)	Normal (0.85 < BF ≤ 1.0)	High (BF ≥ 1.01)
1	≥ 3.08	≥ 3.11	≥ 3.03
2	≥ 1.60	≥ 1.58	≥ 1.55
3	≥ 1.04	≥ 1.05	≥ 1.04
4	≥ 0.79	≥ 0.80	≥ .77
6	N/A	N/A	≥ 0.52

PROGRAMMED RAPID START BALLAST (BEF)			
Lamps	Low (BF ≤ 0.85)	Normal (0.85 < BF ≤ 1.0)	High (BF ≥ 1.01)
1	≥ 2.84	≥ 2.84	≥ 2.95
2	≥ 1.48	≥ 1.47	≥ 1.51
3	≥ 0.97	≥ 1.00	≥ 1.00
4	≥ 0.76	≥ 0.75	≥ .75
6	N/A	N/A	≥ 0.50

Example A



Emily's Lighting Company
123 Main St.
Denver, CO 80202

Invoice

Date	Invoice #
01/02/2013	62006-1

Bill to:

XYZ Company
234 Lipan St.
Denver, CO 80223

Ship to:

XYZ Company
234 Lipan St.
Denver, CO 80223

DETAILED PRODUCT CODES		P.O. No.	Terms
IDENTIFY MANUFACTURING PART INFORMATION		Bill	2% 10 Net 30

Item	Qty	Description	Rate	Serviced	Amount	
JLFC032/841/XPS/ECO	100	Acme XPS F032/841/XPS/ECO Fluorescent Lamp	4.70		470.00T	
JLQHE4X32T8/UNV/...	25	Acme JLQHE4X32T8/UNIV/1SN-SC Electronic 4" Ballast for (4) F032T8 Lamps Universal Voltage 120-277v	27.78		694.50T	
HD 30-072	200	72B Blue Wirenut	0.16		32.00T	
		Installed T8 lamps and electronic ballasts				
Labor	1	Labor	448.00	2/20/2007	448.00	
Travel	0	Travel	64.00	2/20/2007	0.00	
Environmental Fee	1	Environmental Fee	82.11		82.11	
		Local Total Tax	7.60%		90.94	
Thank you for your business. Please remit payment to Emily's Lighting Company					Total	\$1,817.55

GOOD DESCRIPTION

SPECIFY THE QUANTITY FOR EACH ITEM

NOTE LABOR AND OTHER EXPENSES SEPARATELY FROM OTHER MATERIALS

LIST PRICE FOR EACH ITEM AND TOTAL